AD-A048 581

OREGON STATE UNIV CORVALLIS SCHOOL OF OCEANOGRAPHY
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)

UNCLASSIFIED

DATA-66

NL

OREGON STATE UNIV CORVALLIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)
NO0014-67-A-0369-0007
NL

OREGON STATE UNIV CORVALLIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)
NO0014-67-A-0369-0007
NL

OREGON STATE UNIV CORVALIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)
NO0014-67-A-0369-0007
NL

OREGON STATE UNIV CORVALIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)
NO0014-67-A-0369-0007
NL

OREGON STATE UNIV CORVALIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)
NO0014-67-A-0369-0007
NL


OREGON STATE UNIV CORVALIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)
NO0014-67-A-0369-0007
NL

OREGON STATE UNIV CORVALIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)
NO0014-67-A-0369-0007
NL

OREGON STATE UNIV CORVALIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)
NO0014-67-A-0369-0007
NL

OREGON STATE UNIV CORVALIS SCHOOL OF OCEANOGRAPHY
F/6 8/10
MIXED LAYER OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U)

OREGON STATE OBSERVATIONS DURING THE NORPAX POLE EXPERIMENT.(U




SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)	READ INSTRUCTIONS
A-663 REPORT DOCUMENTATION PAGE	BEFORE COMPLETING FORM
REPORT NUMBER 2. GOVT ACCESS	ION NO. 3. SET TENT'S CATALOG NUMBER
F - 77-5 V	S. TIPE OF REPORT & PERIO COVERE
4. TITLE (and Subtitle)	1
MIXED LAYER OBSERVATIONS DURING THE NORPAX PO	Data Kept y
EATERINENTS A BATA RELOW.	6. PER TOTAL TOTAL
7. AUTHORAS	Data Report No. 66
JPJ./Simpson	NØ0014-67-A-0369-0007 6-00
C. A. Paulson	N00014-76-C-0067
9 PERFORMING ORGANIZATION NAME AND ADDRESS	NOO014-75-C-0299
School of Oceanography	NOOO 14-67-A-0369-
Oregon State University	NR083 102
Corvallis, OR 97331) 12. REPORT DATE
Office of Naval Research	77
Ocean Science & Technology Division	13. NUMBER OF PAGES
Arlington, VA 22217 14. MONITORING AGENCY NAME & ADDRESS(II dillerent from Controlling	0ffice) 15. SECURITY CLASS. (of this report)
	unclassified
(12) \pm 12	
	J. I ILE. DECLASSIFICATION DOWNGRADING
Approved for public release, distribution u	D. DECLASSIFICATION/DOWNGRADING SCHEDULE
	erent from Reports
Approved for public release, distribution u	nlimited D D C
Approved for public release, distribution u	erent from Reports
Approved for public release, distribution u	erent from Reports
Approved for public release, distribution until the abelian distribution of the abelian entered in Block 20, if different supplementary notes 18. Supplementary notes	orani from Reports DEC 28 1977
Approved for public release, distribution uses the statement of the abetract entered in Block 20, if different supplementary notes 18. Supplementary notes 19. Key words (Continue on reverse elde if necessary and identify by block NORPAX POLE Experiment	orani from Reports DEC 28 1977
Approved for public release, distribution until the abelian distribution of the abelian entered in Block 20, if different supplementary notes 18. Supplementary notes	orani from Reports DEC 28 1977
Approved for public release, distribution uses the second of the shortest entered in Block 20, if different supplementary notes 18. KEY WORDS (Continue on reverse elde if necessary and identify by block NORPAX POLE Experiment Solar Radiation Net Long-Wave Radiation Mixed Layer	orani from Reports DEC 28 1977
Approved for public release, distribution uses a second of the shortest entered in Block 20, if different supplementary notes 18. Supplementary notes 19. KEY WORDS (Continue on reverse elde if necessary and identify by block NORPAX POLE Experiment Solar Radiation Net Long-Wave Radiation Mixed Layer Temperature, Salinity, Density Profiles	prent from Report DEC 28 1977 DEC 28 1977
Approved for public release, distribution uses a provided for public release, distribution uses a provided for public release, distribution uses a provided for the ebetract entered in Block 20, if different supplementary notes 19. KEY WORDS (Continue on reverse elde if necessary and identify by block NORPAX POLE Experiment solar Radiation Net Long-Wave Radiation Mixed Layer Temperature, Salinity, Density Profiles 20. ABSTRACT (Continue on reverse elde if necessary and identify by block provided in the continue on reverse elde if necessary and identify by block profiles.	orani from Reporting DEC 28 1977 DEC 28 1977 DEC 28 1977
Approved for public release, distribution uses a second for the second fo	DEC 28 1977 DEC 28
Approved for public release, distribution uses a process of the state	promited DEC 28 1977 DEC 28 1

LUMITY CLASSIFICATION OF THIS PAGE(When Date Entered)

Direct measurements of the incident solar, reflected solar, net all-wave and net long-wave fluxes were made from R/P FLIP during the period 2 to 14 February 74. The sea surface temperature was also observed with a radiation thermometer. Standard meteorological observations, from which the latent and sensible heat fluxes from the sea surface to the atmosphere were derived, also were made during this period.

Vertical profiles of temperature and galinity were taken from R/P FLIP throughout the period 30 January through-14 February 74. Profiling was concentrated in the mixed layer and thermocline. The maximum depth reached was 325 meters. On average, 8 profiles were measured per day. On occasion, more intensive sampling was maintained.





Mixed Layer Observations

during the NORPAX POLE

Experiment: A data report.

TABLE OF CONTENTS

INTRODUCTION1
OBSERVATIONS1 Fig. 1: Experimental Site2
Fig. 2: Hourly Values Observed Surface Parameters5 Fig. 3: Hourly Values Observed and Derived Surface Parameters5 Tab. 1: Summary of Instrumentation6
ANALYSIS PROCEDURES7 Tab. 2: Surface Salinity Samples8 Fig. 4: Typical Example Corrected vs Uncorrected Hydrocast10
DATA
TIME SEQUENCED TEMPERATURE PROFILES151
ACKNOWLEDGMENT165
REFERENCES167

PRECEDING PAGE BLANK-NOT FILM

INTRODUCTION

This data report contains observations made from R/P FLIP as part of the first process oriented NORPAX (North Pacific Experiment) experiment. The experiment was named POLE to indicate that the horizontal extent of sampling was small compared to the largest scales investigated in NORPAX.

The part of the experiment reported here was conducted during the period 28 January 74 through 14 February 74. During that time, FLIP occupied a station approximately 800 miles north of the Hawaiian Island Chain under free drift conditions. The position of FLIP ranged from 35°39' to 34°36'N. latitude and 155°05' to 155°25'W. longitude. The experimental site is hydrodynamically complex as shown in Figure 1. The Subtropical Front is known to meander between 32° and 35°N. latitude (Roden, 1974; Barnett, 1976). The region of the Trade Winds northeast of Hawaii has air-sea fluxes of latent heat in excess of 850 joules cm⁻² day⁻¹ (Wyrtki, 1965). The Subtropical Water Mass formed in this region contrasts markedly with the less saline Eastern North Pacific Central Water characteristically encountered north of 35°N. latitude. The Horse Latitudes are located only 3° of latitude to the south of the observational area and the North Pacific Current is expected to affect the general hydrography of the region.

OBSERVATIONS

Direct measurements of the incident solar, reflected solar, net all-wave and net long-wave fluxes were made from R/P FLIP during the period 2 to 14 February 1974. The sea surface temperature was also observed using a radiation thermometer. Continuous 24 hour sampling of all variables was maintained. The latent and sensible heat fluxes from the sea surface to the atmosphere were computed from the bulk aerodynamic approximations using hourly observations of standard meteorological variables. A drag coefficient of 1.4×10^{-3} was used. These observations are discussed in Simpson and Paulson, 1977a. The interactions between sea surface temperature and surface waves (measured with resistance wave gauges) are discussed in Simpson and Paulson, 1977b.

Measurements of downward irradiance were made in the upper 40 m of the POLE experimental area. Analysis of these observations is presented in Paulson and Simpson, 1977.

Vertical profiles of temperature and salinity were taken from R/P FLIP throughout the period 30 January through 14 February 1974. Profiling was




Figure 1. The location of the R/P FLIP during the POLE experiment (35°N, 155°W) in relation to general oceanic features.

concentrated in the mixed layer and thermocline. The maximum depth reached was 325 meters. On average, 8 profiles were measured per day. On occasion, more intensive sampling was maintained.

Hourly values of observed and derived surface quantities are shown in Figures 2 and 3. The hourly values were obtained by interpolating between observations by use of a spline under tension.

Additional observations from R/P FLIP include profiles of velocity within the well-mixed layer and thermocline made by R. Davis and L. Regier of Scripps Institution of Oceanography. Friehe and Schmidt (1976) made measurements of surface heat fluxes using the eddy correlation technique. Only the observations made by the authors are presented in this report.

Measurements made from platforms other than the FLIP were a part of the POLE experiment. An intensive synoptic sampling was undertaken in a 200 km diameter region centered at 35°N. latitude and 155°W. longitude. Individual investigators' contributions to this effort can be found in the NORPAX PROGRAM PLAN (1974).

INSTRUMENTATION

A. Radiation Measurements

A description of the instrumentation used to obtain the radiative flux observations is given in Table 1.

Estimates of the net long-wave flux are usually obtained by subtracting simultaneous measurements of the net radiation, $\mathbf{Q}_{\mathbf{NA}},$ and the net solar flux, $(1 - \alpha)Q_{\varsigma}$. The accuracy of such estimates can be low during daytime because the long-wave flux is frequently an order of magnitude less than the differenced quantities. In addition to this indirect method, flux values reported below were measured directly with a radiometer developed by Middleton Instruments and calibrated by C.S.I.R.O. (Paltridge, 1969). The instrument consists of a standard Funk net radiometer converted to a net long-wave radiometer by surrounding the radiometer with a black polythene sphere to optically filter short-wave radiation. To eliminate the effects of differential heating of sensor elements resulting from filter absorption of the solar radiation, the filter is rotated by an electric motor about the fixed Funk radiometer. Thus, heating of the filter is uniformly distributed resulting in a net null output to the short-wave radiation. The instrument has zero response in the spectral range $0 - 2.5 \mu$ due to




Figure 2. Interpolated hourly values of the various components of the surface momentum and heat balance are shown.




Figure 3. Interpolated hourly values of mass and buoyancy fluxes, surface salinity, sea surface temperature, surface sigma-t, and the various components of the heat flux involved in the determination of the buoyancy flux.

Table 1. Summary of Instrumentation

Device	Manufacturer	Physical parameter	Spectral response (microns)		Accuracy	Sensitivity Accuracy Time response (seconds)
Pyranometer	Eppley (8-48)	Incident flux, Q _S	0-2.5	0.109 mMcm ²	+2-3%	15-20
Pyranometer	Eppley (8-48)	Reflected flux, aQs	0-2.5	.112 mV +2	12-3%	15-20
Net pyrgeometer with black ploythene sphere	Middleton Co.	Net long wave flux, Q_{BN}	> 2.5	Short-wave	17.5%	15-20
				Long-wave		
Net radiometer	Swissteco Pty. Ltd. Net all wave flux, $\theta_{NA} = (1-\alpha)\theta_S^{+}\theta_{BN}$	Net all wave flux. $Q_{NA} = (1-\alpha)Q_S + Q_{BN}$	0.3-60	Short wave 0.459 mV mMcm ²	+2.5%	15-20
Radiation ther- mometer	Barnes Engineering Co. PRT-5	Barnes Engineering Sea surface temperature Co. PRI-5	8-14	1	±0.2 deg.	0.3

the absorptive properties of the polythene filter. Spectral response above 2.5 μ increases rapidly; however, the two absorption bands of polythene centered at 6.5 and 14 μ should be noted. A description of the instrument including filter characteristics is given by Paltridge (1969).

The signal from each instrument was transmitted by shielded cable to the platform laboratory and fed into an amplifier and voltage-offset device. Signals were recorded in strip chart form using an Esterline-Angus multipoint potentiometric recorder. A sampling rate of 5 or 10 samples per minute per channel was maintained throughout the experiment.

B. Density Measurements

A Bissett-Berman Model 9040 Salinity/Temperature/Depth (STD) Measuring System was employed as the profiling device. Temperature is determined with a platinum resistance thermometer whose time constant is 0.35 seconds. Salinity is determined from simultaneous measurements of conductivity, temperature and depth. The time response of the conductivity is not the recorded variable. Rather, the instrument internally compensates for the effects of temperature and pressure and gives a direct estimate of salinity. Accuracies for depth, temperature and salinity are 1 meter, 0.01°C and 0.03 o/oo with corresponding resolutions of 0.2 meters, 0.005°C and 0.01 o/oo. Data was recorded in digital form at a rate of 5 samples per second.

Temperature was standardized against a Mueller platinum resistance ridge. Values presently reported are based upon the 1968 temperature scale. Salinity was standardized with reference to surface samples taken during each cast. A Bissett-Berman model 6230 inductive salinometer was used to determine the salinity of the surface samples. This device can accurately resolve salinity to within 0.003 o/oo. Salinity samples are listed in Table 2.

ANALYSIS PROCEDURES

A d.c. correction was applied to the depth signal to eliminate the effect of ambient atmospheric pressure. Corrections due to vertical platform motion were unnecessary as the amplitude of FLIP's vertical oscillations is typically 10 cm.

Spectral analysis of GATE Scale-B data, taken with Bissett-Berman model 9040 STDs, suggested a large percentage of the variance associated with the

Table 2
S o/oo Punched Card Data

Run	Average S o/oo	Run	Average S o/oo	Run	Average S 0/00
001	00.000	048	34.140	104	34.188
002	00.000	049	34.141	105	34.188
003	00.000	050	34.138	106	34.188
004	34.099	051	34.135	107	34.196
005	34.277	052	34.153	108	34.203
006	34.158	053	34.155	109	34.218
007	34.155	054	34.155	110	34.232
008	34.160	055	34.155	111	34.202
009	34.147	056	34.151	112	34.171
010	34.153	057	34.146	113	34.179
	34.179	058	34.185	114	34.187
011 012	34.204	059	34.192	115	34.184
		060	34.199	116	34.197
013	34.199			117	34.210
014	34.174	063	34.230	118	34.183
015	34.197	064	34.230	119	34.155
016	34.186	065	34.233	120	34.172
017	34.184	066	34.236	121	34.172
018	34.182	067	34.237	124	
019	34.181	068	34.238		34.180
020	34.179	069	34.239	125	34.183
021	34.178	070	34.239	126	34.186
022	34.176	071	34.240	127	34.166
023	34.175	072	34.211	128	34.145
024	34.171	073	34.192	129	34.153
025	34.169	074	34.172	133	34.191
026	34.167	075	34.154	136	34.193
027	34.164	076	34.161	137	34.195
028	34.162	077	34.168	138	34.196
029	34.159	078	34.174	139	34.193
030	34.152	079	34.170	142	34.193
031	34.147	080	34.165	143	34.186
032	34.141	084	34.161	144	34.178
033	34.136	085	34.182		
034	34.130	086	34.196		
035	34.125	087	34.209		
036	00.000	088	34.202		
037	34.154	089	34.195		
038	34.143	092	34.204		
039	34.134	093	34.217		
040	34.123	094	34.229		
041	34.129	095	34.213		
042	34.161	096	34.196		
043	34.193	097	34.210		
044	34.181	100	34.186		
045	34.149	101	34.169		
046	34.144	102	34.176		
047	34.139	103	34.182		
			0		

pressure signal was contributed at frequencies greater than 0.67 Hz. This variance is thought to be internal system noise (Elliot, 1975). The GATE results suggested a low-pass filter is required to attenuate signals above 0.67 Hz. The observations reported here were therefore filtered with a two-stage running mean filter designed by J. Z. Holland (1968).

Differences in the time constants of the temperature and salinity sensors introduce errors in the observed values of temperature and salinity. To correct the temperature signal for thermal inertia of the sensor, a local temperature gradient was calculated from a 12 point noncentered linear regression. The center of regression is 0.3 seconds ahead of the point to be corrected. The corrected temperature, T_c , is then given in terms of the uncorrected temperature, T_c

 $T_{c} = T_{0} + \gamma \frac{\Delta T_{0}}{\Delta t} \tag{1}$

where γ is the response time of the temperature sensor.

The salinity correction is based on a relation (Mosetti, 1967) between the conductivity, C, and the measured temperature and salinity, T_0 and S_0

$$C = (\lambda + \mu T_0)^k S_0^h$$
 (2)

where λ = 1.17013, μ = 0.03299, k = 1.05257 and h = 1.10807. As this relation is assumed to hold for both corrected and measured values the correction factor assumes the form

 $\phi = \left\{ \frac{\lambda + \mu \, T_0^{\ k}}{\lambda + \mu \, T_c^{\ k}} \right\}^{-h} \tag{3}$

The corrected salinity, $S_{\rm c}$, specified in terms of the observed salinity, $S_{\rm n}$, then assumes the form

$$S_c = S_0 ((\phi - 1) SF + 1)$$
. (4)

This relation reduces to the correction used by Elliot for the case SF = 1. The factor SF was introduced to minimize the cumulative magnitude of the inversions in the density profiles obtained from corrected values, T_c , and S_c . Observations of density inversions are most likely introduced by erroneous salinity measurements made in the presence of sharp temperature gradients. The corrected salinity is then low-pass filtered analogous to pressure. Numerous numerical experiments indicate observed density inversions can be minimized with SF = 6. The resulting triplets (T_c, S_c, D) are then averaged over 1 meter intervals and standard depth values are computed by

interpolation from the averaged data sets. The sigma-t profiles were computed using a series expansion in terms of the corrected temperature and salinity (Fofonoff, 1958). In Figure 4, uncorrected and corrected profiles of temperature, salinity and sigma-t are shown for a typical observation.

UNCORRECTED

SIOMA-T 25.0 25.5 26.0 SALINITY IN PPT 33.6 34.0 34.2 34.4 33.8 TEMPERATURE IN DEG C io 12 16 B STRNDARD DEPTH IN NETERS 200 150 100 280 POLE 003 TIME 0809 (H)

CORRECTED




Figure 4. Examples of corrected and uncorrected temperature, salinity and density profiles. Corrections were made for the difference in time response of the conductivity and temperature sensors.

DATA

Rain Code

- 0 no rain
- 1 fog
- 2 mist
- 3 light rain
- 4 rain

White caps

- 0 no
- 1 yes

23 JAN.							10000		610 13	20.80	HITTE
		TIME	FLIP ORIEN.	MIND DIREC.	SPEED	SURFACE	PRE SSURE	RAIN	COVER	HE IGHT	CAPS
	*	ZONE M	063	930	4/SEC	DYNE/CH**2	MILLIBAR	3000	TENTHS	METERS	3003
		71	157	N		.043	022.	0		1.8	0
		16	115	0		.197	022.	0			0
	74	1000	120	114	7.7	1.0435	1022.5	0	1.0	1.2	0
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		33	115	0		.187	.610	8			0
A C C C C C C C C C C C C C C C C C C C	1	53	105			.187	017.	~		1.2	0
A L AN	~	71	1114			.043	016.	2			0
	1	00	103			783	015.	2			0
0		15	133	0		63	015.	3		2.1	0
•		2	315			296	012.	-1			0
6		53	310	5	•	243	012.	1			0
0	1	80	325	305		.340	013.	0		2.1	0
29 JAN.	74	1010	335	316	10.3	1.9551	1014.8	0	1.0		-
6	~	42	350	320		.674	014.	0		1.8	
6	-	61	345	330		.674	015.	0	0.0		0
0	-	33	320	310		. 855	016.				0
•	~	00	335	323		.502	018.	•			0
6	•	12	343	315		. 455	019.	0		5.4	0
0	~	20	350	315		.074	019.	0			0
-	-	4	335	315		. 355	019.	•			0
0	^	61	•	335		.340	020	0			0
-	1	80		348		. 043	021.	0			-
0	~	06	20			043	022.	0			-
6		13	0	-		199	023.	0	.2		0
0	1	22	310	0		561	022.	0			-
0	1	77	295	4		463	022.	0			0
0	~	09	315	0		783	022.	0	.2	1.8	-
-	1	80	310	8		043	022.	0			0
30 JAN.	14	1915	315	304	7.2	0606.	1024.8	0	.5		0
6		11	343	0		463	025.	0			0
6		34	310	0		27	025.		••		0

	POLE		MERGED	NETE OR OL OGIC	OROL		DATA (LISTING NUMBER	ING NUM	BER 1)	PAGE	2 0F	6		
		DATE		LOCAL	_	FLIS ORIEN.	MIND DIREC.	SPEED	SURFACE	BAROM.	RAIN	CLOUD	MAVE	WHITE
	6	7	:	ZONE	*	063	0E G	MISEC	DYNE/CM**2	MILLIBAR	CODE	TENTHS	METERS	CODE
,,	-	JAN.	14	61		340	M		296	024.	•	0.0		0
,,,	31	JAN.	14	81		192	0		296	1025.0	0			0
,,,		JAN.	14	0860		203	185	5.1	. 4638	025.	0	••	1.5	0
,		JAN.	74	21		200			143		0			0
1-1		JAN.	14	2		220	0		906.	024.	0			0
		JAN.	14	9		220			7 93	1024.0	0	1.0		0
1		JAN.	14	74		220	0		463	024.	0			0
(1)		JAN.	14	16		203	-		561	024.				
,,,		JAN.	7.4	10		200	-		783	024.	0			0
,	31	JAN.	14	30		190	173		043	024.		••	1.5	0
		u	74	63		173	9		.197	023.	0			0
1		L	14	13		220	8		.187	023.	0			0
		EB	74	9		203	~		043	021.	0			0
,		E8	74	81		195			.187	021.	0			-1
		FE3.	14	0430		183	160	7.2	0606.	1021.5	0	1.0	1.8	1
		W	74	10		183	9		. 340	021.	0			1
,		W	14	20		190	8		. 340	020	0			0
		w	14	30		195	-		187	619.	0			0
-		w	74	43		195	-		.187	018.	0			0
,	91 6	W	14	9		185	-		.043	018.		•		0
-		E		1 80 0		9	-		.043	018.	0			0
		w		2103		0	~		.197	019.	0	•		0
	01 F	FEB.	74	2215		165	165	9.6	1.0742	1017.8	0	1.0	2.4	0
		EB		0090		-	in		463	018.	3			0
-		w		0745		3	-		375	019.	0			0
		W		0860		5	+		375	050	0			0
		W		1030		5	M		296	021.	0			0
		W		1145		t	-		96	021.	0			0
		E8		1245		5	m		967	020			•	1
-		W		1345		-	1		783	020	0			1

POLE		MERGED	NETEOR OL OGI	SOLO	GIS DATA	A (LIST)	CLISTING NUMBER	3E3 11	PAGE	3 OF	6		
	DATE		LOCAL	r 0	FLIS ORIEN.	WIND DIREC.	NIND	SURFACE	3AROM. PRESSURE	RAIN	CLOUD	WAVE HE IGHT	WHITE
00	Z Z	;	SONE !	-	0E5	930	MISEC	DYNE/CH**2	MILLIBAR	CODE	TENTHS	METERS	CODE
2	w	74	1		15			61	020		.2		1
~	W	14	9		33	2		463	020	0	.1		0
02 F	E3	74	1700		1.9	10	5.7	.5612	1020.5	0	.1	2.4	0
2	W	74	80		37			909	021.	0			0
2	w	14	00		43			. 343	022.	0	1.		0
2	63	14	11		7.3			043	022.	0			0
2	w	14	23		0			.043	022.	0	9.		0
•	E3	74	34		105			567	023.	0	9.		0
-	W	14	61		-			.340	020	0	•		0
-	u	14	80		4			043	021.		1.0	1.8	0
~	L		91		N	0		783	022.	0	1.0	1.5	-1
03 F	FEB.	74	1050		120	110	8.2	1.1872	1021.8				
2	83		21		+	M		340	020.	0	6.		-
2	W		32		+	-		.043	019.	0	•		-
-	IL		K.4		0	+		666	018.	•	1.0	1.8	0
m	W		25		5	+		043	018.		•		-
~	W		81		S	2		.187	018.				-
~	w		02		~	+		29	019.	0	•		0
	W		54		\$	2		60	019.	0	•		0
+	m		33		~	in		227	014.		•	1.2	0
*	w		91		0	+		27	016.	1		•	0
*	w		13		5	M		+63	018.	-	•		0
	u.		34			+		63	012.	1	•		0
	w		34		0	5	•	63	015.	1	•		0
*	W		45		50	+		63	012.	1	•		0
	w		61		~	5		96	016.	-			0
	w		63		9	S	•	5 96	012.	-	•		•
40	FEB.	14	1815		185	170	4.1	.2968	1016.8		1.0	1.2	0
+	W		82		-	6		96	012.	1	•		0
+	w		80		0	00		15	016.	1		•	0

POLE		MERGED	METEOR	ETEOROL OGI	S DATA	A (LISTING	NG NUMBER	SER 1)	PAGE	4 0F	6		
ō	DATE		LOCAL	FLI	. Z	WIND DIREC.	MIND	SURFACE	BAROM. PRESSURE	RAIN	COVER	WAVE	CAPS
99 4	ŗ	*	ZONE H	30 I	12	DEG	M/SEC	DYNE/CH**2	MILLIBAR	CODE	TENTHS	NETERS	CODE
4	0		02	25		N		15	016.	1		1.5	0
4	9		13	15	55	m		41	017.	1		6.	0
04 F	€8.	74	2212	13	13	122	2.1	.0742	1012.7	1	1.0	1.0	0
4 4	9		30	14	-	-		074	016.	1			0
4	8		32	21		0		167	012.	-			0
5 5	•		25	18		~		463	012.	2		1.0	0
5 F	8		43	20		0		197	012.	8			0
9 5	8		61	22		6		606	014.	0			0
5 5	8		70	20		9		.043	012.	0			1
5 F	0		83	19	15	~		043	015.	•		1.2	-
r.	G.		85	20		~		187	012.	0	.2		-
05 F	£9.	14	1035	19		170	8.2	1,1872	1012.7	0	۴.	1.5	-
1 5	Œ		10	19		-		.340	014.	0			0
5 F	9		31	20		~		.502	.600	0			
3 5	a		31	20		•		.674	014.	0			-
5 F	3		*	20		00		. 502	012.	0			-
3 6	8		52	21		0		.674	.600	0			-
5 F	œ		63	18		9		.045	011.	4			1
5 1	9		70	19		00		.045	.600	*			-
2 5	0		81	20		0	2	.671	015.	m	•		-
5 F	a		84	20	-	or		.674	.600	3			-
3 5	8		03	18		9		043	.600	*	1.0		-
3 5	œ		50	19		8		.340	013.	0		1.2	-
2 5	a		21	2		+		199	014.	0	6.		0
2	8		34	26	0.	+		561	013.	0	•		0
9	0		02	26	9	2		15	012.	0	0.0		0
9	8		54	27		2		167	015.	•	•		0
96 FE	€9.	1.4	0420	52	0:	235	3.1	.1670	1012.7	0	0.0	1.0	0
9	0		72	23		-		96	012.	•			0
9	0		93	21	0	0		463	013.	0	.2		0

	WHITE	30CO	0	1	1	1	0	1	1	-	1	-	1	-	-		1	-	-	1	-		1		-	-	-	-	-	1	-	1
	MAVE WH	METERS C			1.5				1.8								5.4	•		2.5	•					5.4			4.0		3.7	
6	CLOUD	TENTHS	•		0.0			•	1.0			•	1.0				0.0			.2			۳.	• 5	۴.	.5	-:	.2		.2	.2	
9 OF 0	RAIN	CODE		0		•	•	•	4		4	23	3		0	0			•	0			0	•	•	0	•	0		•	0	
PAGE	SAROM. PRESSURE	MILLIBAR	.600	013.	1012.7	012.	012.	011.	012.	013.	012.		016.	1017.1		017.	1019.1	016.	018.	016.	019.	022.	023.	019.	023.	025.	025.	026.	022.	1027.3	026.	027.
168 11	SURFACE	DYNE/CH**2	567	606	1.5026	. 355		. 855	2.6713	.244	. 955	. 043	187	606.	.345	.502	1.5742	.502	. 355	. 855	.244	.045	.502	.674	.398	55	. 355	. 355	. 340		606	21
ING NUMBER	SPEED	4/SEC			9.3				12.4	-						6	8.6				1:			•	2		;			7.7		
TA CLISTING	MIND DIREC.	930	0		190	0		0		9	\$	529	+		9	9	592	9	-	-	~		6	6	~	6	5	-	N	305	0	0
LOGIC 0A	FLIS ORIEN.	530	S	0	213	2		m		00	~	529	250	237	568	280	285	275	275	162	300	320	300	310	303	320	310	325	355	310	325	350
METEOROLOGI	LOCAL	ZONE M	35	00	1115	25	33	45	54	70	74	93	95	11	22	30	0000	03	10	54	45	61	9	65	12	82	84	00	03	1100	31	43
POLE MERGED	DATE	00 HMM 44	6 FEB. 7	6 FE9. 7	06 FEB. 74	6 FE9. 7	6 FEB. 7	6 FEB. 7	6 FEB. 7	6 FER. 7	6 FEB. 7	6 FEB. 7	6 653. 7	6 FE3. 7	6 FE9. 7	6 FEB. 7	07 FEB. 74	7 FEB. 7	7 FEB. 7	7 FEB. 7	7 FEB. 7	E3. 7	7 FE9. 7	7 FEB. 7	07 FEB. 74	7 FEB. 7	7 568. 7					

POLE MERGED	MER	GEO	METEOROL DGI	9070	0 0	ATA ILISTING	NG NUMBER	3ER 11	PAGE	90 9E	6		
c	DATE		LOCAL	FLI	. ×	WIND DIREC.	MINO	SURFACE	3AROM. PRESSURE	RAIN	CLOUD	HEIGHT	WHITE
00	7	*	ZONE W	٥	E.	950	M/SEC	DYNE/CH**2	MILLIBAR	CODE	TENTHS	METERS	CODE
7 5	0		53	m	30	310		199	027.	0	٠.		1
7 5	0		69	3	15	300		227	022.				0
7	€8.	14	1700	3	335	310	2.5	.5612	1028.3		.2	3.7	-
7 5	0		81	8	30	300		227	026.				0
4 2	0		96		0	325		115	029.	0			+
7 5	0		00		55	0,		167	026.	0	٠:		0
7 5	0		03	-	9	0 +		041	031.	0	m.		1
4 1	~		20	-	m	125		167	031.		3.		-
7 5	0		23	1	S	144		167	029.	0			0
u	0		30	-	3	115		296	032.	•	٠,	•	1
7 80	a		-	•	~	-		36	029.	0	•		0
. 4) (12	•				167	029.				0
98			32	10	0	0		167	029.				0
98 F	:3.	14	0550	7	50	120	5.6	.1159	1029.6		m.	3.0	0
4	0		70	1	M	2		27	029.	0			0
	8		18	1	0	m		375	029.	0			0
8 F	a		00	1	5	2		299	032.	0			-1
8	8		10	-	3	2		606	029.				1
			13	1	10	2		043	032.				1
4	8		34	1	n	3		783	030.	0	.5		-
4			43	-	-	S		783	029.	0	۳.		1
8 6	8		51	1	-	S		561	030.	•			+
8 F	a		61	1	9	5		361	026.	0			-
4	8		63	1	5	+		561	030.	0	8.		+1
8 F	4		23	1	9	5		561	030.	0			-
8	8		82	-	9	+		561	029.	0			0
	8		16	1	5	+		199	030.	0	•		1
4 4	9		01	-	9	5		361	026.	•			0
38 F	€9.	14	2100	7	25	143	2.9	.6578	1030.2		.5	2.1	1
4	8		23	1	5	In		909	030.	0			-1

00	POLE ME	MERGED	METEOROLOGI	SOLO		DATA (LISTING	ING NUMBER	353 11	PAGE	7 OF	6		
	DATE		LOCAL	10	FLID ORIEN.	WIND DIREC.	WIND	SURFACE	BAROM.	RAIN	CLOUD	MAVE	CAPS
99	I I	:	N SNOZ	_	530	930	MISEC	DANE/CH**2	MILLIBAR	CODE	TENTHS	METERS	CODE
	63	-	2		164	N		67	026.	0			0
	E8	1	00		9	3		567	030.	0	•	6.	0
	FEB.	14	0015		143	134	6.2	. 5678	1026.2	0	0.0	3.0	0
	63	~	10		*	in		783	.620	0			0
	E3	1	23		*	8		561	026.			•	0
	63	1	54		-	9		27	026.	0			0
	E.3		82		+	M		27	026.	0		•	0
	63	~	91		t	2		63	026.	0		•	0
	69	-	92		m	2		63	.620	0			0
60	53	-	20			M	•	61	028.		1.0	1.5	
	E3	1	41		160	0		375	028.	0	1.0		0
	E3	-	43		-	M		96	022.	0			0
0	58	1	45		00	9		167	026.				0
	EB	-	53		-	9		27	027.	0			0
60	FEB.	74	1700		180	162	3.1	.1670	1022.9	0	6.	2.0	0
	E3	-	83		-	9		227	027.	0			0
	63	-	36		9	2		115	026.	0	•		0
	63	-	00		8	-		15	028.	•	•		0
	EB	-	13		~	9		15	028.	0			0
	£3	-	21		~	9		27	026.	0			6
	69		30		180	9		75	028.	0			0
	E 8		03		198	00		67	028.	3			0
	53		14		205	5		96	026.	2			0
	£8		20		210			2 36	028.	8	•	•	0
	£3		20		140	2		227	025.	+	•		0
	EB		10		135	2		296	026.	2	•	•	0
	E 3		06		06	80		19	029.	3			0
	EB		36		110	0		29	026.	•			0
10	FEB.	14	1030		95	93	3.1	.1670	1029.5	1	1.0	2.1	
	E8		20		105			29	029.	-			0

	CAPS	CODE	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	-	0	0	-	-	-	-1	-	-
	HEIGHT	METERS	•		1.2								1.0						1.0									1.5		1.5		
6	CLOUD	TENTHS		•	1.0		•					•			•	•	•	•	1.0			•		1.0				1.0				•
8 OF	RAIN	CODE	0	2	~	~	•	8	2	2	2	m	2	0	0	0	0	•	0	•	0	2	0	0	0	0	0	0	0	0	0	0
PAGE	BAROM.	MILLIBAR	026.	026.	1028.0	028.	026.	030.	026.	026.	026.	029.	026.	029.	026.	028.	025.	027.	1022.9	027.	027.	026.	025.	024.	022.	.610	.610	1019.5	025.	019.	020	016.
3E3 1)	SURFACE	OTNE/CH##2	167	463	.3757	375	115	115	63	75	63	75	+63	463	15	115	15	14	.2272	167	296	63	187	783	199	. 043	.340	1.6742	.674	. 855	.244	.671
ING NUM	WIND	M/SEC			4.6											•			3.6			•						8.6				2
DATA (LISTING NUMBER	MIND DIREC.	DEG			88								-	2	0	-	~	5	220	9	M	m	M	N	3	2	0	205	0	-	-	-
METEOROLOGIC D	FLIS ORIEN.	063	100	7.0	66	143	103	10	100	85	100	120	M	M	9	m	*	9	225	9	5	3	S	3	5	M	C	230	N	N	N	N
ORO	_																															
METE	LOCAL	ZONE	22	42	1500	202	03	23	35	19	90	93	00	11	20	54	41	7	1615	71	06	23	0,	=	31	51	72	0925	00	14	20	32
GEO		*	7.4	74	14	14	14	7.4	14	14	14	14	14	14	1,4	14	14	14	14	14	14	14						14				
POLE MERGED	ATE	Ŧ	£9.	£8.	€8.	€8.	.63	E9.	£8.	€3.	EB.	.63	8	tu	58	53	fr.	W	E8	W	W	IL	E 3	E3	E3	E3	E3	£8.	68	E3	63	63
OLE	6	N 00			9 0	0	0	0	-	-	-		-	-	-	-	-	-	11 F	-	1	-	-	2	2	2	2	1 Z	~	2	2	2
•		-	-	-	-	-	-	-	-	-	-		-	-			-	-	-	-	-		-	-	-	-	-	-	-	-	-	-

	APS	ODE	1	1	1	1	1	1	1	0	0	0		9	-	-1	-	-1	1	-1	-	1	-1	-			٠.	•	0
	CAP	00																											
	HEIGHT	METERS			1.8						1.5				1.5	•					1.5			2.6			1.0		
6	CL OUD	TENTHS				1.0		3.	.1					•	•	•		1.0					1.0				•		
9 OF	RAIN	CODE	0		•	4	0				0	•		*	+	+	0	0	0	•	•	0	+	0	-				1
PAGE	SAROM. PRESSURE	MILLIBAR	017.	016.	016.	1017.5	018.	019.	018.	018.	016.	016.	,	110	016.	012.	015.	1012.7	013.	012.	012.	012.	013.	014.	015	1	1012.0	0115	012.
NUMBER 11	SURFACE	DYNE/CH**2	.671	.671	35		19	15	15	018	041	227		.661	.187	.674	. 453	2,4533	.671	.135	.135	.380	. 398	855	A C		10001	+ 10.	
ING NOM	NIND	M/SEC	2	2.		8.8											:	11.8	2.	3	3	3.	5			•	10.0	•	
ATA (LISTING	WIND DIREG.	DEG	-	+4	2	304	0	-	-	M	0	9		0	~	0	-	220	N	N	2	-	3	~	3	* *	200	+	
0	FLIP ORIEN.	530	222	218	235	315	305	285	310	335	190	180		175	174	205	220	230	235	235	227	225	253	250	257	100	25.2	262	
METEOROL OGIS	LOCAL	ZONE M	7	53	70	75	00	13	33	10	30	0210	1	12	90	93	10	1130	24	32	13	9	74	00	*	7 6	3 4 7 7	3	10
GED		**				14												14									*		
POLE MERGED	DATE	NHW 00	2 FE	2 FEB	2 FEB	3 E	2 FEB	2 FE9	2 FER	3 FEB	3 FE	63		3 FES	3 FEB	3 FE3	3 FEB	13 FEB.	3 FER	3 FEB	3 FE9	3 FEB	FE3	7 668	2 5 5	200	13 756.	1 1 1 1	FEB +

POLE	Ä	RGED	METEOR	EUROLOGIC (DATA (LISTING	STING	NUMBER 2	-	PAG	PAGE 1 OF 9	
	DATE		LOCAL	DRY BUL3	SEA	TENP CIFF.	POINT	WET 9ULB	DP A TEMP	LATENT HEAT FLUX	SENSIBLE HEAT FLUX
33	1 2	*	ZONE M	DEG C	DEG C	0 9 30	DEG C	0 5 C	066 C	MW/CH**2	MW/CM**2
	Z	74	11	5.5	4.6	0	4.1	4.7	5.6	804	.373
28	JAN.	14	0 3 1 0	15.72	14.60	1.12	14.39	15.11	15.67	.3481	1.6254
	A		60	5.7	4.7	0.	4.5	5.1	5.7	089	. 388
	AN		33	5.5	4.5	0.	4.9	5.3	5.5	.365	.545
	Z		53	5.5	4.6	0.	4.9	5.3	5.5	.686	194.
	V		17	5.3	4.6	6.	6.4	5.3	5.5	525	. 222
	A		00	5.5	4.5		5.1	5.2	9.5	.266	.242
	Z		15	5.3	4.5	0	5.0	5.3	5.5	.119	.955
	Z		43		4.5		9.4		5.1		
53	Z		53				4.3		4.8		
			80	4.3	9.	M	4.1	4.5	4.7	.76	530
	-		01	4.7	4.6	-	3.0	3.9	4.3	3.555	221
	-		42	4.3	9.4	0	. 3	2.7	4.5	8.745	.076
62	JAN.	74		14.44	14.50	06	8.89	11.33	14.39	14.402	0955
	-		93	4.1	4.4	N	~	1.3	4.2	14.050	. 422
			00	4.1	4.5	M	1.	1.1	0 . 4	14.063	. 543
			10	4.0	4.4	M		4.0	3.9	18.079	.623
	7777		20	5.0	4.4	9		8.0	3.8	17.387	.127
	-		4.1	3.2	4.4		9.	0.1	3.2	7.916	.132
30	-			3.4	* . *	6.	.1	0.2	3.3	14.976	1.470
	d		80	4.7	4.4	M	~	6.0	3.3	13.238	437
	4		90	3.5	4.5		5	0	3.4	14.605	202
	A		10	3.3	* . +	5	0	6.6	3.5	11.902	.615
	A		22	4.7	9.4	-	2.	0.0	3.5	11.944	121
	a		44	4.3	9.4	2	6.	9.0	3.3	10.167	261
	A		69	4.3	9.4	2	7	0.3	3.5	3.536	340
	A		80	3.7	4.6	8	7	1.0	3.5	13.540	.191
30	JAN.	14	1915	13.83	14.60	77	7.17	10.67	13.61	-12.0994	9716
	d		==	4:1	4.6			0.3	3.5	9.106	.392
	Z		34	3.5	5.	0	~	0.5	3.2	6.314	.633

POLE		MERGED	METEORG	EOROLOGIC D	ATA (LISTING	STING N	NUMBER 2	•	PAGE	E 2 0F 9	
	DATE		LOCAL	0RY 8UL3	SEA	TEMP OIFF.	POINT	WET BULB	OP A TEMP	LATENT HEAT FLUX	SENSIBLE HEAT FLUX
99	7	*	ZONE M	DEG C	DEG C	DE 6 C	DEG C	DE6 C	DEG C	44/CN++2	MW/CH##2
31	JAN.	74	61						2.3		
31	JAN.	14	81	3.2	*	w.	3.44	1.0	12.67	6.33	166.
31	JAN.	74	93	14.44	4.6	16		11.00	3.0	765	1409
11	JAN.	1.4	21	3.9	4.6	. 6					.890
31	JAN.	74	43	4.3	4.6	0	1.0	2.1	4.3	8.544	014
31	JAN.	14	09	4.3	4.6	m	10.33	12.61	14.72	-6.8235	504
31	JAN.	12	12	4.3	4.6	M	1.1	2.9	4 . 4	644.4	311
31	JAN.	74	76	5.0	4.7		1.3	3.1	4.8	4.537	298
31	JAN.	74	10	5.0	4.7	.30	1.3	3.1	6.4	5.537	353
31	JAN.	14	2300		1.	4	1.1	3.0	5.0	951.9	258
0.1	6		03	5.1	9.4	S	1.3	3.3	5.0	.957	820
11	63		13	5.2	9.4	9	1.3	3.3	5.1	5.132	981
10	FEB.	74		15.44	14.30	19.	12.39	13.72	15.28	-5.0341	.8751
91	63		81	5.5	4.8	8	2.6	3.9	5.4	4.746	.174
01	H		93	5.7	4.8	6	2.5	4.0	5.5	4.111	168
01	E9		10	6.0	4.8	.2	2.7	4.2	5.7	4.506	. 846
01	E8		20	5.3	4.7	2	4.2	\$. F	5.8	3.186	.915
01	EB		30	5.3	4.8	7	3.3	4.5	5.8	3.027	. 657
01	E 3		43	6.0	4.7	M	0.4	4.8	5.6	1.263	. 882
11	£3		9	5.5	4.8		7.	4.	5.5	2.478	• 025
	63		0	5.5	4.8	•	4.2	4.8	5.6	.065	.101
	E		0	5.5	4.8	8	3.9	4.7	9.6	.453	.255
	63		-	5.7	4.8	0	4.0	4.7	5.6	1.932	681
	E3		0	4.3	4.8	-	4.3	4.6	4.8	.484	.130
	69		+	4.7	4.7	0	3.8	4.4	4.8	.656	063
	E3	14	0880	14.50	14.70	20	12.17	13.33	14.39	-5.9054	1629
	€3		M	4.3	1.4	-	2.3	3.5	4.6	.517	960.
	E8		+	5.0	4.8	N	5.6	3.6	4.5	5.599	185
	8		+	5.0	4.8	N	2.6	3.6	4.5	3.899	277
05	FEB.		1345	5.0	4.8	.20	1.6	3.3		4.864	235

POLE		MERGED	METEOR	TEOROLOGIS 0	DATA (LISTING		NUMBER 2		PAG	E 3 0F 9	
	DATE		LOCAL	DRY BUL3	SEA	TENP CIFF.	DEW	WET BULB	OPA TEMP	LATENT HEAT FLUX	SENSIBLE HEAT FLUX
60	I		ZONE M	DEG C	DEG C	0 930	0EG C	0EG C	0 5 6 6	NW/CH**2	MAZCHEE
2	6	1.	3	4.3	4.8	-	1.6	3.2	4.5	4.503	143
2	EB		9	4.3	4.8	0	1.3	3.2	4.6	3.985	030
2	FEB.		-	14.78	14.80	02	11.06	13.06	14.56	-4.7689	0221
~	E8		80	4.7	6.4	7.	1.0	2.6	4.4	7.526	225
2	E.8		00		4.8	M	0.5	1.8	4.2	0.163	. 482
2	E.9		11	4.3	4.7		9.5	2.5	4.2	7.690	. 422
~	E3		23	3.3	4.6	9	+	2.5	4.2	5.602	.890
2	E3		34	4.4	4.8		3	2.1	4.2	7.509	.386
~	E3		19				~		4.1		
93	E3		0 800	14.44	14.60	16	2	12.25	5	-8.5194	2112
-	8	74	91	4.0	4.7	03	0.2	2.3	4.3	7.531	39
2	£ 3	14	90	5.1	4.6	S	0.2	2.3	4.7	9.800	820
2	58	14	21	5.1	4.6	w	0.5	2.6	4.7	8.975	786
2	5	74	32	4.3	4.6	.2	0.1	2.6	4.6	6.858	.286
	E3	74	43	4.3	4.5	-	0.1	2.6	1.4	6.180	140
2	EB	14	25	5.1	4.6	S	1.6	3.2	4.8	5.910	169
-	E8	14	81	6.4	4.6	3	3.3	3.9	4.6	3.193	864
~	E3	14	20	4.7	4.6	-	3.5	4.1	4.6	1.464	132
3	FEB.	74	2240	15.00	14.70	.30	14.61	13.89	14.89	-3.2856	.3802
	8	74	83	5.1	4.8	M	4.6	4.8	6.4	053	197
	69	1.4	91	5.2	. 3	. 48		5.1		235	302
*	E3	74	13	5.3	4.8	-	14.56	5.0	15.17	224	684
+	F3	74	34	15.67	5.0	19.		15.44		.5079	.6035
*	63	14	34	5.4	5.0	-1	14.72	5.1	15.17	147	402
.+	E3	14	45		5.1						
*	E3	14	61	15.44	5.5	.24	6.4	15.17	15.33	2618	.1770
+	E8	14	63		5.1		1.4				
90	FE9.	14	1815	4.7	15.20	*	14.17	4.5	4.5	.070	.346
+	E3	14	82	15.00	5.5	20	4.1	14.94	14.50	3749	1448
•	€8	14	00	4.4	5.1		3.9	4.1	4.1	.873	.296

POLE MERGED	2										
JATE		LOCAL		DRY RUL3	SEA	TENP OIFF.	DEW	WET BULB	1EMP	LATENT HEAT FLUX	SENSIBLE HEAT FLUX
NHH C0	*	ZONE	1	0 5 C	DEG C	0 9 30	056 C	DEG C	0EG C	NH/CH**2	MH/CH**2
4 FES	-	N		4.3	7.	71	3.6	4.2	*	.776	21
FEB +	-	M		4.3	5.1	60	4.3	4.3	*	4142	.162
4 FEB	~			14.39	5.1	71	3.7	14.33	14.11	.508	
4 FEB	-	0		*:	5.1	66	3.7				.237
FE3 +	~	N		4.2	5.1	82	4.0	4.1	4.3	1.034	944.
S FE	14	0520		14.00	15.20	-1.20	13.39	14.00	13.72	-1.8924	086
5 FEB	1	M			5.0		3.4		3.7		
5 5 EB	-	-					3.2		3.6		
5 FE9	1	0		4.4	5.0	5	3.1	4.0	3.8	-2.7972	75
E3	-			15,36	15.00	• 56		15.39	5.5	.706	.7544
5 FEB	1	35		5.5	5.0	. 56	4.0	4.5	5.1	-2.7035	904
05 FE9.	14	1035		16.06	15.10	96.		15.22	15.67	6	1.3840
5 FEB	1	10		6.0	5.1	06.	4.1	5.0	5.7	146.	.385
5 FEB	1	31		6.7	5.1	.6	4.6	5.9	5.8	.052	.733
5 FEB	1	31		6.1	5.1	-	4.5	5.3	5.9	727	.739
5 FE3	~	*		6.0	5.0		4.7	5.3	5.9	.036	.720
5 FEB	1	52		6.3	5.0	1.50	4.7	6.0	6.0	.220	580
5 FER	~	63		6.9	5.0	0	5.0	5.5	5.1	572	. 006
5 FEB	~	7.0		5.3	5.0	16.	5.0	5.7	5.8	50	. 795
5 FE9		81			5.0		5.4		6.1		
5 FEB	~	3		15.94	5.0	16.	5.3	15.83	5.8	2.4089	1.6244
5 FEB	-	M			5.0		5.5		6.0		
5 FEB	-	+		6.1	5.0	1.11	5.4	5.6	6.0	70	9
5 FE3	-	-		5.7	6.4	0	4.2	5.4	5.6	17	. 953
5 FEB	-	+		5.4	6.4	5	4.1	4.7	5.5	.092	2
6 FEB	-	2		5.4	6.4	10	3.7	6.4	5.0	1.1	443
6 FEB	-	t		4.3	4.9	.5	2.9	4.2	4.7	.621	307
06 FEB.	14	0420		14.78	14.80	02	13.56	14.06	14.50	-	
6 FEB	1	2		4.7	4.8	0	3.4	4.0	4.4	.564	9
6 FEB	1	M		5.0	6.4	-	3.2	4:1	4.7	1.969	060

	DATE		LOCAL		DRY BUL3	SEA	TEMP OIFF.	POINT	WET BULB	DPA	LATENT HEAT FLUX	SENSIBLE HEAT FLU
33	T	:	ZONE	*	D 530	DEG C	DEG C	DEG C	DEG C	DEG C	MH/CH++2	MW/CH
90	63	74	92		5.1	6.4	N	3.0	4.0	5.0	2.895	289
90	EB	14	8		5.2	6.4	.38	3.1	4.1	5.0	3.139	478
90	FEB.	74	1115		15.56	14.90	99.	13.56	14.44	15.50	-3.2616	1.0682
90	63	74	25		5.8	6.4	9	0.4	4.8	5.6	2.286	790
90	E3	74	33			1		4.2		5.5		
90	E3	14	45		6.2	6.9	~	4.2	15.06	6.2	-1.7903	. 393
90	53	74	54		3.9	4.7		9.5				.76
90	8	14	70		4.3		2		1.1	4.5	8.599	86
90	E3	14	74		4:3	4.6	7	7	1.2	4.3	5.727	.281
90	£3	12	M		14.11	14.50	39		11.11	13.11	11.63	.528
90	E 3	74	95		3.3	4.7		0.	1.0	3.8	12.858	16
90	£3	14	11		4.7	4.8	0	4	1.7	4.5	10.303	.028
96	E 3	14	22		4.3	4.6	-	-:	1.3	5.5	16.096	90
90	F 58.	14	2300		14.72	14.70	.02	5.00	10.11	14.44	-19.6118	. 0362
07	63	14	00		4.7	4.7	0		4.0	4.5	19.412	33
07	63	14	93		5.0	4.4	9	7	1.3	4.5	14.112	716
07	63	74	10					9		4.5		
07	E8	74	24		3.5	4.5		.1	1.3	2.9	13.819	1.106
10	£3	14	45		14.06	14.60	.5	3	10.33	3.6	-21.1163	-1.0843
07	E 9	14	-							2.8		
	EB		#			6.4				1.9		
	E3		65		2.7	4.6	1.8		6.	2.1	17.378	3.22
	63		11		3.2	14.70	-1.48			2.9	-27.1806	-3.3444
	E3		82		3.2			~		2.9		
	E3		*		3.4	4.5				3.1	18.906	1.911
	83		00		3.4	4.6	1.1	M)	.3	3.3	22.336	2.092
	€8		03		3.2	4.6	1.3		0.	2.7	15.968	2.120
10	FEB.	17	1100		13.11	14.60	-1.49	4.17	8.94	12.72	-17.4998	-2.021
	63		31		3.3	6.4	1.7	6.	7	5.6	21.944	2.21
	0		27		3.0	4.8	1.7	0		2.7	14.735	1 AGE


9	POLE N	MERGED	MET	E 08 0 L 0 613	DATA ILISTING		NUMBER 2	•	PAGE	E 6 0F 9	
	DATE	Ę.	LOCAL	DRY BUL3	SEA	TEMP OIFF.	POINT	WET BULB	DPA	LATENT HEAT FLUX	SENSIBLE HEAT FLUX
60	Z Z		ZONE H	0 930	0 5 30	0 5 30	DEG C	DEG C	DEG C	MM/CH**2	MWZHARZ
	F		53	3.0		1.8	.5	7	2.7	5.640	1.955
	FE	1 .	69	3.0	4.7	1.6	7	0	2.6	8.075	.042
07	u	1. 74	1700	13.11	14.90	-1.69	3.06	8.67	12.78	-13.8221	-1.6817
	FE		81	3.3	4.7	1.3	-	2.	2.1	8.018	. 866
	u		96	3.1	4.3	1.6		1.	2.7	6.193	.739
	4	. 7	00	3.3	4.5	1:1		m.	2.7	6.503	.603
	F	1 .	03	3.5	4.8	1.1	1.	0	2.8	3.706	. 322
	H	1 .	20	3.0	4.7	1.6			2.7	7.132	. 893
	H	1 .	23	3.8	4.5	9	.6	5	2.8	6.549	.362
07	11	1 .	30	2.3	4.8	6.	7	.5	2.1	190.0	384
	F		01	3.3	4.4	0	~	0.0	2.1	7.394	732
	3		12	3.3	* . *		9.	2.	2.8	5.220	615
	FE	1 .	32	3.4	4.7	.2	*	9.6	2.9	6.078	.682
0.8	FEB	1. 74	0520	13.22	14.60	-1.38	5.28	10.00	12.89	-4.7572	6236
	F	1 .	20	3.3	4.7		2	0.0	2.9	6.884	830
	FE		34	4.5	4.6		1.	1.5	3.3	6.718	.036
	F	1 .	00	4.2	4.7	3	2	9.0	3.5	11.165	519
	L	1 .	10	4.7	4.6	-		1.6	3.7	10.398	225
	FE	. 1	13	4.0	4.8			3	3.7	4.136	010
9.8	4		34	4.2	4.3	5	~	9.0	4.0	12.373	.614
	4	1	5	5.1	4.6	S	7	2.2	4.1	8.232	601
	FE	1 .	51	4.4	4.8	M		1.1	4.2	9.415	354
	4	1 .	19	4.7	4.7	0	9	2.6	4.5	5.768	. 077
	4		63	4.3	4.8	0	1.	1.6	4.5	8.578	033
	FE	. 1	73	4.4	4.8	m	7	2.1	4.5	6.883	354
	F		82	5.1	4.7		8.17	2.7	4.6	5.835	6 04
	u.		16	5.0	4.7	M	7	1.6	4.8	9.209	325
60	FEB	1. 74	2015	15.50	14.60	06.		12.67	14.94	-6.2264	. 8962
	H	. 1	10	5.5	4.7	5	8.89	1.0	6.4	1.208	627
	L	. 1	23	5.3	4.8			2.0	5.1	10.342	618


	SENSIBLE HEAT FLUX	4W/CH++2	144	. 523	5069	.642	.125	.276	. 925	.606		8328	74	.613	*5464	045	.181		105	.241	732	-	. 917	143	.036	648	.573	2.4462	.872	.212	.611	. 452
6 JO 8 3	LATENT HEAT FLUX	HH/CH**2	.346	-1.0465		.987	.577	1.113	-1.9963	1.794		-2.1661	2.433	2.592	-1.6201	1.907	2.628		3.71	0	064.4	3.351	8.530	6.713	2.310	1.644	1.123	-1.3968	2.682	2.975	2.958	2.503
PAGE	OP A TEMP	0EG C	4.2	13.72		3.8	4 . 4	4.0	13.22	3.2	3.2	3.4	3.3	3.8	4.2	4.6	14.78	4.6	5.5	4.3	3.6	3.1	3.8	4 . 4	4.3	4.8	5.5	15.72	5.8	5.7	5.8	5.8
-	WET BULB	0EG C	4.7	14.17		3.7	4.4	3.8	13.61	3.7	3.5	3.4	3.5	3.6	13.93	3.5	3.1		2.9	12.39	2.2	3.0	2.3	2.7	4.0	4.5	4.8	15.06	4.6	4.8	4.7	5.0
NUMBER 2	POINT	DEG C	3.3	3.0	13.06	3.1	2.9	3.3	5.5	2.6	2.4	2.	2.6	2.8	2.6	2.2		1.6	9.6	9.5	9.0	2.1	0.5	1.0	3.0	3.5	3.7	13.83	3.6	3.5	3.5	3.7
	TENP OIFF.	DEG C	2	.5	62	~	2.	. 5	0.	~		-1.02	86		.54		+		-	17	1.0	.2	9.	-	0	t	0.	1.42		.2	.3	.5
DATA (LISTING	SEA	DEG C	6.		14.90	6.4	5.0	5.0		4.8		14.90	4.8	6.4	14.90	5.1	5.1		5.0	15.00	6.4	4.9	4.8	6.4	4.8	4.8	4.7	14.80	4.8	2.0	4.8	4.3
OROLOGIC D	DRY 9ULB	0 930	5.1	4.2		4:1	4.7	4.3	3.7	4.0	3.9		3.9	4.2	15.44	5.0	5.5		5.1	•	3.8	3.6	4.1	4.7	4.3	5.5	5.7	16.22	5.3	2.9	6.1	6.3
METEORO	LOCAL	ZONE M	22	42	20	7.0	03	23	35	61	8	0880	00	11	20	24	17	1,	61	71	06	2230	64	11	31	51	72	9260	00	14	20	32
MERGED		*	74									14										14						14				
OLE MES	DATE	7	FEB	FEB	u	FEB	633	FEB	FEB	FEB	FEB	FEB	FE9	FER	FEB	FEB	L	FEB	FE3	FEB	FE3	FE3	FEB	FE8	FEB	854	FEB	FEB.	FEB	FEB	FEB	FE8
0		99	10	10	10	1.0	10	10	==	=======================================	11	11	==	11	==	11	11	11	==	11	11	11	=======================================	12	12	12	12	12	12	12	12	12


	SENSIBLE HEAT FLUX	MW/CM**2	2.8485	2.8485	3.7397		3500	1720	1710	1167	.0030	. 00 70	.0121	. 8208	2.6182	3,3082	4.1179		585	393	69	2.7157			3.0779		
E 9 OF 9	LATENT HEAT FLUX	MW/CM++2	-5.2731	-3.9117	-4.5759		-4.7166	-3.2733	-2.7963	-1.1435	-1.7136	-3.1668	-2.3348		1.3975	1.2879	1.7703		1.9123	.3637	5621	-1.2925			-2.3042		
PAGE	OP A TEMP	0EG G	5.9	6.0	6.3	2.8	13.89	3.9	3.9	3.6	3.4	13.79	14.17		5.4	5.5	16.44	5.4	5.2	4.9	6.7	5.8	9	9	16.44	5	
5)	WET 9ULB	DEG C	14.44	14.67	14.72	\	2.8	3.0	12.17	2.1	2.2	2.7	13.83		5.5	15.61			5.5	5.5	15.44	15.06		5.0	15.00		
	POINT	9EG C	13.72	13.78	13.28	11.78	11.50	11.78	10.44	10.06	68.6	10.83	2.7	4.2	4.7	5.0	14.99	4.5	4.6	4.6	4.2	4.8	3.6	0.4	13.83	4.4	4.7
STING	TENP OIFF.	0 9 30	1.31	1.31	1.59		32	21	38	19	.01	.01	.01	.57	C	1.59	6.		1.52	1.87	1.92	1.20			1.70		
DATA (LISTING NUMBER	SEA	0 9 9 G	14.90	14.80	14.80	14.60	14.60	14.60	14.60	14.70	14.60	14.60	14.60	14.60	14.70	14.80	14.80		14.70	14.80	14.80	14.80	14.80		14.80		
EOROLOGIS 0	DRY BUL3	0EG C	16.11	16.11	16.39		14.28	14.39	14.22	14.06	14.51	14.51	4.5	15.17	6.2	6.3	6.7		16.22	16.97	16.72	16.00		16.11	16.50		
MET	LOCAL	ZONE W	3	53	7.0	75	2000	13	33	110	30	51	22	06	93	10	1130	54	32	41	60	7.	00	13	2240	00	0 5
MERGED		=					14						14	14	14	14	14	14	14	14	74	14	74	74	14	74	14
	DATE	*	IN	u.	n.	w	8	E 8	W	E8	E3	EB	41	w	W	w	W	w	W	w	w	FE3.	6	E 3	FEB.	63	E3
POLE		69										13	13												13		


Table 3. Mean Daily Radiative Flux Components Measured during the NORPAX POLE Experiment.


Sea Surface Temp. (°C)	14.8	15.0	15.1	14.6	14.4	14.3	14.7	14.9	14.9	14.7	14.6
Net Long-Wave Flux (mw/ cm ²)	-2.8	-1.0	-2.3	-4.2	-7.6	8.9-	-2.8	9	-1.5	-4.3	-2.3
Net All-Wave Flux (_mW)	5.3	7.1	9.9	5.3	7.8	6.3	3.5	4.4	5.8	8.4	5.5
Reflected Solar Flux (_mW/ cm ²)	4	7	1	-1.1	-1.6	-1.0	5	4	9	9	7
Incident Solar Flux (_mW/ cm ²)	7.8	9.2	10.0	12.5	16.9	14.8	7.0	6.5	8.8	0.6	10.3
Date	03 Feb. 74	04 Feb. 74	05 Feb. 74	06 Feb. 74	07 Feb. 74	08 Feb. 74	09 Feb. 74	10 Feb. 74	11 Feb. 74	12 Feb. 74	13 Feb. 74







































































































































































































































































STANDARD DEPTH IN METERS

SÓO

SÉO


20


TEMPERATURE


ò


25.8 SPLINIT


26.6

































































































OREGON STATE UNIX MIXED LAYER OBSER AUG 77 J J SIMPS UNCLASSIFIED DATA-66					V CORVALLIS SCHOOL RVATIONS DURING THE SON, C A PAULSON			OF OCEANOGRAPHY F/6 8/10 NORPAX POLE EXPERIMENT. (U) N00014-67-A-0369-0007 NL					
	2 OF 2	#Z				概図							東 図
東図													
		M		Š			100)E	100	
				The American State of	END DATE FILMED 2 -78			(3)					


































































































STATION NUMBER 009

	11/74 L		114E 0840	START TI			TIME 1144	
DEPTH	1640	SALINITY	SIGMA-T	JEPTH	TEMP	SALINITY	SIGMA-T	
0	14.511	34.15	25.44		4.540	34.15	25.43	
10	14.516	34.15	25.44		4.537	34.15	25.44	
20	14.516	34.15	25.44		4.533	34.15	25.44	
30	14.515	34.15	25.44		4.530	34.15	25.44	
+0	14.517	34.15	25.44	40 1	4.524	34.15	25.44	
50	14.515	34.15	25.44	50 1	4.532	34.15	25.44	
59	14.524	34.15	25.44	60 1	4.493	34.15	25.46	
70	14.461	34.15	25.45	70 1	4.309	34.13	25.47	
10	13.913	34.07	25.50	90 1	3.920	34.06	25.50	
90	13.551	34.12	25.52	90 1	3.674	34.07	25.56	
100	12.743	34.15	25.11	100 1	3.099	34.15	25.72	
120	12.108	34.20	25.37	120 1	2.230	34.13	25.94	
140	11.772	34.19	25.02	140 1	1.457	34.20	26.02	
160	11.361	34.15	26.18	150 1	1.462	34.15	26.17	
190	11.390	34.23	26.12	190 1	1.487	34.27	25.14	
200	11.452	34.30	26.17	200 1	1.341	34.29	26.18	
220	11.044	34.27	25.22	220 1	0.972	34.29	26.24	
240	10.767	34.25	25.26	240 1	0.713	34.25	25.27	
250	10.477	34.24	25.30	260 1	0.473	34.25	25.31	
210	10.100	34.21	25.34		0.130	\$4.23	25.35	
291	3.976	34.29	25.36					

STATION NUMBER 012

TE 01/3	1/74 LO	NG. 1551 35	LAT. 35104	24TE 31/1	1/74 LO	4G. 15510	5 LAT. 3510
21451	TIME 161	5 901104	114E 1630	START	TIME 2021	801104	TIME 2033
15014	TEMP	SALINITY	SIG-A-T	DEPTH	TEMP	SALINITY	SIGMA-T
,	14.545	34.20	25.48	0	14.549	34.29	25.45
10	14.557	34.23	25.48	10	14.556	34.20	25.45
50	14.551	34.21	25.48	20	14.557	34.20	25.45
30	14.552	34.21	25.+8	30	14.558	34.23	25.45
40	14.556	34.21	25.48	40	14.650	34.23	25.45
50	14.411	34.15	25.47	50	14.616	54.19	25.45
50	14.199	34.1%	25.50	50	14.144	34.09	25.47
70	13.977	34.11	25.55	70	13.351	34.95	25.52
90	13.622	34.15	25.53	40	13.610	34.75	25.56
90	12.736	34.19	25.93	90	13.224	34.13	25.59
170	12.309	34.22	25.94	100	11.938	34.11	25.93
120	12.994	34.27	26.02	120	11.596	34.14	25.11
140	11.710	34.25	26.38	140	11.396	34.15	25.37
160	11.265	34.20	26.12	160	11.210	34.15	25.39
130	11.169	34.23	26.16	190	19.935	34.13	25.13
200	11.010	34.26	25.22	500	11.010	34.23	26.19
550	11.972	34.33	25.25	220	19.317	34.25	26.25
240	10.899	34.34	26.30	240	10.609	34.25	25.29
250	17.511	34.29	26.33	250	10.315	34.24	26.33
290	13.15*	34.27	26.37	275	10.106	34.23	26.35
291	10.136	34.27	26.38				

STATION NUMBER 009

DATE	01/	31/74	LONG.	155105	LAT	. 35104
51	APT	TIME	3752	BOTTOM	TIME	0840

1540	SALINITY	SIGMA-T
14.511	34.15	25.44
14.516	34.15	25.44
14.516	34.15	25.44
14.515	34.15	25.44
14.517	34.15	25.44
14.519	34.15	25.44
14.524	34.15	25.44
14.461	34.15	25.45
13.913	34.07	25.50
13.551	34.12	25.52
12.743	34.15	25.31
12.108	34.20	25.37
11.792	34.19	25.32
11.361	34.15	26.18
11.390	34.23	25.12
11.452	34.30	26.17
11.044	34.27	25.22
10.757	34.25	25.26
10.477	34.24	25.30
10.100	34.21	25.34
3.986	34.29	25.36
	14.511 14.516 14.515 14.517 14.518 14.524 14.461 13.913 13.551 12.743 12.108 11.702 11.390 11.452 11.044 10.767 10.407	14.511 34.15 14.516 34.15 14.516 34.15 14.515 34.15 14.517 34.15 14.518 34.15 14.524 34.15 14.461 34.15 13.913 34.07 13.551 34.12 12.743 34.15 12.108 34.20 11.702 34.15 11.390 34.23 11.452 34.30 11.044 34.27 10.767 34.25 10.477 34.25 10.407 34.21

CATE 01/31/74 LONG. 155105 LAT. 35104 START TIME 1126 BOTTOM TIME 1144

HTQ3C	TEMP	SALINITY	SIGMA-T
0	14.540	34.15	25.43
10	14.537	34.15	25.44
20	14.533	34.15	25.44
30	14.530	34.15	25.44
40	14.524	34.15	25.44
50	14.532	34.15	25.44
60	14.493	34.15	25.46
70	14.309	34.13	25.47
50	13.920	34.06	25.50
90	13.674	34.07	25.56
130	13.099	34.15	25.72
120	12.230	34.13	25.94
140	11.457	34.20	26.02
160	11.462	34.19	26.07
190	11.487	34.27	25.14
200	11.341	34.29	25.18
220	19.972	34.29	26.24
240	10.713	34.25	25.27
260	10.473	34.25	25.31
279	10.130	34.23	25.35

STATION NUMBER 012

DATE 01/31/74 LONG. 155105 LAT. 35104 START TIME 1615 BOTTOM TIME 1630 DEOTH TEMP SALINITY SIGMA-T 14.545 14.20 25.48 14.551 14.551 14.552 14.556 34.23 25.48 10 25.48 20 34.21 34.21 25.48 40 50 25.47 14.411 34.15 14.199 50 34.14 25.50 34.11 25.55 25.53 25.93 13.622 90 34.15 90 34.19 12.309 170 34.22 25.94 12.794 120 34.27 26.02 140 34.25 26.38 26.12 160 11.265 34.20 11.169 11.010 11.072 150 34.23 26.16 34.26 26.22 200 550 10.599 240 34.34 26.30 34.27 250 26.33 290 26.37 10.136 34.27 26.38

STATION NUMBER 013

START TIME 2020 BOTTOM TIME 2033

PTPE	TEMP	SALINITY	SIGMA-T
0	14.549	34.29	25.45
10	14.556	34.20	25.45
20	14.557	34.20	25.45
30	14.555	34.23	25.45
40	14.650	34.23	25.45
50	14.616	3+.13	25.45
50	14.144	34.09	25.47
70	13.991	34.19	25.52
90	13.610	34.75	25.56
90	13.224	34.15	25.59
100	11.938	34.11	25.93
120	11.596	34.14	25.11
140	11.396	34.15	25.37
160	11.210	34.15	25.39
150	17.935	34.13	25.13
200	11.010	34.23	26.19
220	13.417	34.25	26.25
240	10.605	34.25	25.29
260	10.315	34.24	26.33
275	10.106	34.23	26.35

STATION NUMBER 314

DATE 01/1	1/74 LO	NG. 1551 05	LAT. 35104	34TE 32/0	11/74 LO	NG. 15510	8 LAT. 35:09
START	TIME 232	6 907704	TIME 2343	START	TI4E 140	2 301104	TIME 1415
DEPTH	TEMP	SALINITY	SIGHA-T	JEPTH	TEMP	SALINITY	SIGMA-T
0	14.377	34.20	25.51	9	14.575	34.23	25.44
10	14.635	34.17	25.43	10	14.681	34.20	25.44
20	14.630	34.17	25.43	20	14.679	34.20	25.44
30	14.640	34.17	25.43	30	14.671	34.19	25.44
41	14.644	34.19	25.43	40	14.587	34.17	25.44
50	14.644	34.17	25.43	50	14.556	34.15	25.44
50	14.614	34.17	25.44	50	14.389	34.14	25.46
70	14.941	34.04	25.46	70	14.059	34.07	25.48
40	13.957	34.05	25.48	10	13.432	34.05	25.62
30	13.853	34.04	25.50	90	12.174	34.11	25.98
170	13.479	34.07	25.59	100	12.095	34.19	25.95
120	11.970	34.14	25.94	120	11.730	34.15	26.11
140	11.753	34.17	26.01	140	11.705	34.24	25.07
160	11.347	34.14	25.06	160	11.760	34.30	25.11
140	11.159	34.14	26.10	190	11.580	34.32	25.16
200	19.384	34.14	25.13	200	11.274	34.29	26.20
220	11.033	34.21	26.18	220	11.564	34.23	25.22
2+0	10.714	34.21	26.23	240	11.628	34.25	26.27
260	11.429	34.21	26.28	250	11.319	34.24	26.32
279	10.196	34.21	26.32	276	10.132	34.22	25.34

STATION NUMBER DIE

Fallow Marine	1/74 LO		TIME 0444		The state of the s	NG. 15510	
31441	1145 043	3 501104	1115 0444	31441	TIME 051	2 401104	TIME 0528
DEPTH	TEMP	SALINITY	SIGHA-T	DEPTH	TEMP	SALINITY	SIGHA-T
3	14.664	34.15	25.43	9	14.578	34.15	25.43
10	14.672	34.19	25.44	10	14.657	34.19	25.44
30	14.579	34.13	25.44	50	14.568	34.19	25.44
30	14.680	34.17	25.44	30	14.557	34.19	25.44
+0	14.638	34.15	25.44	40	14.544	34.19	25.44
50	14.555	34.15	25.44	51	14.545	34.19	25.44
60	14.550	34.17	25.45	60	14.593	34.17	25.44
70	14.113	34.09	25.45	70	14.240	34.13	25.48
90	12.946	34.14	25.76	80	13,514	34.11	25.62
90	12.105	34.12	25.90	90	12.229	34.11	25.38
100	12.194	34.15	25.95	100	11.992	34.12	25.93
120	11.752	34.17	26.01	120	11.728	34.15	25.10
140	11.734	34.23	26.07	140	11.535	34.19	25.37
160	11.722	34.30	26.12	160	11.666	34.29	26.11
140	11.552	34.32	26.16	140	11.472	34.29	25.15
200	11.320	34.30	26.19	200	11.291	34.25	26.19
229	10.957	34.25	25.21	220	10.777	34.22	25.23
240	10.718	34.25	26.26	240	10.512	34.23	25.28
260	10.393	34.23	26.30	250	10.294	34.22	25. 11
277	17.123	34.22	25.34	279	9.901	34.19	25.36

STATION NUMBER 018

7475 02/01/7	4 LONG.	155139	LAT	. 35109
START TIM	E 3546	BOTTOM	TIME	9600

DEOTH	TE 40	SALINETY	SIGHA-T
0	14.583	34.19	25.43
10	14.682	34.15	25.43
20	14.684	34.17	25.43
30	14.686	34.17	25.43
40	14.688	34.19	25.43
50	14.683	34.19	25.43
60	14.505	34.15	25.44
70	14.091	34.11	25.50
90	12.469	34.10	25.52
90	12.037	34.12	25.92
130	11.997	34.15	25.96
120	11.647	34.15	25.02
140	11.645	34.23	25.08
160	11.647	34.29	25.12
190	11.462	34.29	25.16
200	11.285	34.29	25.19
223	10.765	34.22	25.23
240	10.524	34.22	26.28
253	10.313	34.22	25.31
279	9.913	34.29	25.36

DATE 02/01/74 LONG. 155: 04 LAT. 35:09 START TIME 0614 BOTTOM TIME 0626

HTGEC	TEMP	SALINITY	SIGMA-T
0	14.686	34.19	25.43
10	14.686	36.13	25.+3
20	14.689	34.19	25.43
30	14.690	34.13	25.43
40	14.690	34.19	25.43
50	14.688	34.19	25.43
50	14.679	34.19	25.43
70	14.505	34.15	25.44
90	13.582	34.09	25.59
90	12.763	34.19	25.36
190	11.996	34.12	25.92
120	11.764	34.17	26.01
140	11.598	34.21	25.16
160	11.629	34.25	25.10
190	11.388	34.25	25.14
200	11.434	34.31	25.17
220	10.944	34.22	26.22
240	10.566	34.22	26.27
260	10.331	34.22	26.31
279	9.963	34.29	25.35
The second second		The state of the s	

STATION NUMBER 020

SATE	02/11/7	4 L	ONG. 155108	LAT. 35109	CATE 02/	1/74 LO	NG. 155 t 0	LAT. 35:09
	TEL TE			TIME 0655			9 801104	
DE	PTH '	EMP	SALINITY	SIGMA-T	75014	TEMP	SALINITY	SIGMA-T
	9 14	. 537	34.15	25.43	0	14.635	34.15	25.43
		. 688	34.15	25.43	10	14.655	34.19	25.43
	20 14	.549	34.19	25.43	20	14.657	34.13	25.43
	30 14	. 689	34.19	25.43	30	14.589	34.19	25.43
	.) 14	. 589	34.13	25.43	40	14.694	34.15	25.43
	50 14	. 695	34.19	25.43	50	14.794	34.13	25.43
	60 14	.598	34.19	25.43	60	14.679	34.15	25.43
	70 14	.592	34.15	25.43	73	14.258	34.11	25.46
	30 13	. 914	34.12	25.56	30	13.090	34.12	25.71
	90 12	.511	34.13	25.31	90	12.165	34.13	25.38
1	00 12	.016	34.13	25.93	100	11.952	34.13	25.94
1	20 11	. 739	34.15	26.00	120	11.604	34.12	25.00
1	+0 11	. 544	34.13	26.06	140	11.700	34.21	25.06
1	50 11	.523	34.24	26.11	160	11.594	34.25	25.11
1	90 11	. 430		26.12	190	11.339	34.24	26.14
2	00 11	. 443	34.33	26.17	200	11.25A	34.27	25.18
2	20 10	.907		26.22	220	10.790	34.21	25.23
		. 585	34.22	25.26	240	10.520	34.21	25.27
		. 364	34.22	26.30	260	10.271	34.21	25.31
		. 001	34.23	25.35	279	3.977	34.13	26.34

STATION NUMBER 022

CATE 02/1	1/74 LO	NG. 15510	LAT. 35109	INSO BYAC	11/74 L7	NG. 15510	. LAT. 35109
		5 907704		START	TIME 990	S SOTTON	114E 0816
DEPTH	1E 4P	SALINITY	SIGMA-T	05014	TEMP	SALINITY	SIGMA-T
0	14.557	34.13	25.42	0	14.684	34.19	25. +2
10	14.688	34.19	25.42	10	14.641	34.19	25.42
23	14.689	34.19	25.42	50	14.683	34.17	25.42
10	14.691	34.19	25.43	30	14.691	34.15	25.43
4.3	14.691	34.19	25.42	40	14.686	34.15	25.42
50	14.711	34.13	25.43	50	14.691	34.15	25.43
60	14.602	34.15	25.43	68	14.691	34.15	25.43
70	13.977	34.12	25.53	70	14.633	34.15	25.42
30	12.655	34.09	25.78	90	14.243	34.09	25.45
90	12.104	34.12	25.90	90	13.054	34.10	25.71
100	11.994	34.15	25.95	100	12.119	34.39	25.88
120	11.555	34.12	26.01	120	11.659	34.10	25.99
140	11.436	34.17	26.07	140	11.497	34.14	26.04
150	11.500	34.23	26.11	160	11.421	34.20	25.19
190	11.494	34.31	26.17	150	11.295	34.24	25.15
210	10.857	34.21	26.20	200	11.117	34.25	26.19
220	10.715	34.23	26.24	220	13.667	34.20	25.24
240	17.456	34.21	25.25	240	10.453	34.22	25.28
250	17.170	34.21	25.32	250	10.166	34.20	26.32
279	9.438	34.15	26.36	279	9.806	34.15	25.37

STATION NUMBER 024

CATE 12/	01/74 LO	NG. 155176	LAT. 35109	DATE 02/0	1/74 LO	NG. 1551 31	LAT. 35109
	TI 4E 084		TIME 0859		TI "E 091		114E 0930
16014	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
1	14.664	34.17	25.42	0	14.574	34.17	25.42
10	14.670	54.17	25.42	10	14.677	34.17	25.42
20	1 4. 670	34.17	25.42	20	14.674	34.17	25.42
30	14.673	34.17	25.42	33	14.675	34.17	25.42
• 1	14.575	34.17	25.42	40	14.579	34.17	25.+2
50	14.676	34.17	25.42	51	14.577	34.17	25.42
50	14.569	34.17	25.42	50	14.652	34.17	252
73	14.474	34.11	25.44	70	14.602	34.15	25.42
90	13.171	34.15	25.72	30	13.568	34.11	25.51
90	12.341	34.11	25.35	23	12.337	34.09	25.34
170	11.342	34.09	25.93	100	11.929	34.39	25.31
120	11.569	34.18	25.99	120	11.544	34.17	25.99
140	11.344	34.12	25.15	140	11.364	34.14	26.16
150	11.314	34.19	25.10	160	11.259	34.15	25.10
190	11.299	34.23	25.15	180	11.190	34.20	26.14
200	11.122	34.24	26.18	200	11.203	34.25	25.19
220	10.661	34.19	26.22	220	10.564	34.13	25.23
240	10.592	34.22	25.26	240	10.519	34.21	26.27
250	10.266	34.21	25.31	260	10.219	34.20	26.31
279	9.937	34.15	26.54	279	9.905	34.17	25.34

STATION NUMBER DZE

STATION NUMBER 027

CATE 02/0	1174 LO	NG. 15510	LAT. 35109	DATE 02/0	1/74 LO	NG. 15510	LAT. 35:09
21751	114E 094	5 807704	TIME 1958	START	71 ME 101	2 907704	TIME 1025
75014	TEMP	SALINITY	SIGHA-T	DEPTH	TEMP	SALINITY	SIGMA-T
,	14.675	34.17	25.42	0	14.675	34.17	25.42
10	14.673	34.17	25.42	10	14.671	34.17	25.42
20	14.677	34.17	25.42	20	14.672	34.17	25.42
30	14.675	34.17	25.42	30	14.677	34.17	25.42
40	14.689	34.17	25.42	43	14.675	34.17	25.42
50	14.693	34.15	25.42	50	14.679	34.17	25.42
60	14.667	34.17	25.43	60	14.719	34.15	25.42
70	14.631	34.15	25.43	70	14.725	34.18	25.+2
90	13.736	34.15	25.61	50	14.457	34.11	25.42
99	12.666	34.13	25.10	90	13.623	34.11	25.59
100	11.939	34.09	25.91	100	12.360	34.05	25.31
120	11.613	34.09	25.97	120	11.656	34.08	25.96
1+0	11.390	34.11	26.03	143	11.414	34.09	26.02
150	11.290	34.15	25.08	160	11.277	34.13	26.07
190	11.248	34.13	26.12	190	11.197	34.17	26.11
200	11.343	34.23	25.18	200	11.265	34.25	26.17
220	10.922	34.22	26.22	220	11. 194	34.29	26.21
240	13.504	34.21	26.27	240	10.531	34.22	26.27
251	19.281	34.21	26.31	250	10.270	34.21	26.31
275	9.973	34.19	26.34	279	9.915	34.13	26.35

STATION NUMBER 024

117 12/1	1/75 10	NG. 15510	LAT. 35:09	CATE 02/1	1/74 LO	NG. 15510	LAT. 3510
	TI4E 104		TIME 1056		TIME 111		TIME 1126
25014	TEND	SALIMITY	SIGHA-T	CEPTH	TEMP	SALINITY	SIGMA-T
0	1 + . 636	34.17	25.43	9	14.629	34.15	25.43
10	14.547	34.15	25.42	10	14.519	34.15	25.43
20	14.648	34.15	25.42	50	14.521	34.15	25.43
30	14.650	34.17	25.+2	30	14.623	34.15	25.43
+0	14.550	34.17	25.42	40	14.649	34.19	25.43
50	14.701	34.15	253	50	14.722	34.20	25.43
59	14.727	34.17	25.43	50	14.756	34.21	25.43
77	1 4 . 72 9	34.19	25.43	70	14.684	34.13	25.44
10	14.392	34.13	25.43	90	14.252	34.11	25.46
30	13.924	34.12	25.56	90	12.946	34.05	25.71
100	12.266	34.15	25.33	100	11.997	34.05	25.91
123	11.549	34.09	25.37	120	11.555	34.09	25.99
140	11.400	34.10	26.03	140	11.354	34.13	26.05
160	11.257	34.13	25.07	160	11.227	34.15	26.10
190	11.140	34.17	25.12	190	11.039	34.19	25.15
210	11.200	34.25	26.15	200	11.903	34.21	26.20
220	11.056	34.27	26.22	550	17.590	34.22	25.25
240	10.549	34.22	25.27	240	10.423	34.23	25.30
260	10.234	34.21	26.32	250	10.135	34.21	26.34
279	9.922	34.19	26.35	279	9.192	34.20	26.36

STATION NUMBER 931

CATE 32/3	1/74 LO	NG. 15510	LAT. 35109	0475 02/D	1/74 LO	NG. 15510	LAT. 35:09
	TIME 124		TI 4E 1257		TIME 131		TI42 1327
DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
0	14.591	34.14	25.+1	0	14.598	34.15	25.42
10	14.596	34.14	25.42	10	14.591	34.15	25.42
20	14.500	34.15	25.42	20	14.590	34.15	25.43
10	14.517	34.15	25.42	30	14.614	34.15	25.43
40	14.643	34.15	25.42	40	14.527	34.17	25.43
50	14.709	34.19	25.43	*50	14.672	34.19	25.43
60	14.746	34.13	25.43	60	14.718	34.21	25.44
79	14.739	34.19	25.43	70	14.754	34.21	25.44
30	14.296	34.11	25.46	90	14.687	34.19	25.44
99	13.493	34.13	25.64	90	14.182	34.13	25.49
100	12.026	34.11	25.91	100	12.690	34.13	25.78
120	11.525	74.05	25.97	120	11.734	34.07	25.35
140	11.384	34.10	26.02	140	11.487	34.11	25.11
160	11.354	34.17	25.08	150	11.346	34.15	26.15
190	11.252	34.19	26.11	190	11.229	34.15	25.11
200	10.955	34.19	26.17	200	11.125	34.22	25.17
220	10.452	34.23	26.22	220	10.993	34.22	26.21
240	17.466	34.21	26.26	240	10.639	34.23	26.26
250	10.250	34.21	26.32	250	10.405	34.24	25.31
277	9.984	34.19	25.34	277	10.133	34.22	25.34

STATION NUMBER 032

			LAT. 35109	CATE 02/0	1/74 10	NG. 15510	1 LAT. 35
31491	TI "E 134	7 BOTTOM	TIME 1400	START	TI 4E 141		TIME 1429
TEPTH	TEMP	SALINITY	SIG MA-T	DEOTH	TEMP	SALINITY	SIGNA-I
1	14.585	34.14	25.42	g	14.546	34.1+	25.42
10	14.557	34.14	25.42	10	14.540	34.14	25.42
50	14.586	34.15	25.43	20	14.588	34.15	25.42
30	14.598	34.15	25.43	30	14.507	34.15	25.43
40	14.627	34.17	25.43	40	14.631	34.17	25.43
50	14.657	34.19	25.43	50	14.549	34.17	25.43
50	14.699	34.19	25.43	50	14.579	34.15	25.43
70	14.758	34.21	25.44	70	14.740	34.20	25. +3
90	14.756	34.21	25.43	40	14.717	34.23	25.43
90	14.579	34.16	25.44	90	14.402	34.13	25.45
177	13.704	34.14	25.50	100	12.707	34.09	25.77
120	11.942	34.39	25.93	120	11.767	34.05	25.94
140	11.567	34.10	25.99	140	11.452	34.11	25.02
160	11.336	34.12	25.15	160	11.391	34.17	26.35
130	11.353	34.13	26.10	190	11.297	34.21	25.13
200	11.212	34.23	25.16	200	11.100	34.22	26.17
223	11.941	34.22	25.20	220	10.434	34.22	26.22
290	17.601	34.22	26.26	240	10.450	34.21	25.29
250	17.417	34.24	26.31	250	10.303	34.23	25.32
277	17.141	34.23	26.34	278	13.022	34.21	25.35

STATION NUMBER 034

DATE	02/0	1/74	LONG.	155109	LAT	. 35109
S	TART	TIME	1445	HOTTOM	TIME	1458

DEPTH	TEMP	SALINITY	SIGMA-T
0	14.586	34.13	25.41
10	14.595	34.13	25.41
20	14.586	34.14	25.42
10	14.615	34.15	25.42
40	14.540	34.15	25.42
53	14.661	34.17	25.42
50	14.682	34.19	25.43
70	1 722	34.19	25.43
30	14.711	34.13	25.43
30	14.347	34.12	25.44
100	12.945	34.09	25.74
120	11.778	34.09	25.94
140	11.430	34.19	25.01
150	11.343	34.14	26.07
1 . 0	11.279	34.19	26.11
200	11.208	34.23	25.16
220	17.950	34.23	25.21
240	11.599	14.21	26.25
250	10.+02	34.23	25.30
277	13.159	34.21	26.33

CATE 02/01/74 LONG. 155:08 LAT. 35:09 START TIME 1515 BOTTOM TIME 1529

JEOT	TH TEMP	SALINITY	SIGHA-T
	14.59	5 34.13	25.+1
10	14.55	6 34.13	25.41
21	14.59	6 34.14	25.41
30	14.61	7 34.15	25.42
40	14.64	4 34.15	25.42
50	14.66	6 34.15	25.42
50	14.71	4 34.15	25.42
70	14.73	4 34.19	25.+2
88	14.50	9 34.15	25.44
90	13.17	5 34.12	25.70
100	11.94	9 34.05	25.98
120	11.62	2 34.37	25.36
140	11.32	5 34.11	25.04
160	11.30	0 34.17	25.10
180	11.10	6 34.19	25.15
200	10.95	9 34.22	26.20
220	11.75	0 34.22	25.23
240	10.48	0 34.22	26.25
260	10.23	2 34.21	26.32
277	9.94	6 34.15	25.34

STATION NUMBER 037

STATION MUMBER 039

74 TE 02/0	11/74	LONG.	155108	LAT	. 35109
START	TIME	2000	301104	TIME	2010

4-1
+2
42
+2
43
43
+3
43
47
77
91
38
05
10
15
19
24
28
33
36
37
֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜

START TIME 8072 BOTTOM TIME 8045

DEPTH	TEMP	SALINITY	SIGMA-T
3	14.655	34.14	25.40
10	14.654	34.14	25.41
20	14.655	34.14	25.+1
30	14.690	34.15	25.41
40	14.736	34.17	25.+1
50	14.713	34.17	25.+1
60	14.779	34.15	25.41
70	14.706	34.15	25.41
90	14.701	34.15	25.41
90	14.496	34.12	25.42
100	14.213	34.12	25.48
120	11.679	34.05	25.34
140	11.415	34.10	25.02
160	11.199	34.13	26.08
190	10.970	34.12	26.12
200	10.929	34.15	25.17
550	11.631	34.17	25.21
240	10.440	34.20	25.27
250	10.123	34.19	25.31
277	9.808	34.15	25.34

STATION NUMBER 041

34TE 32/3	2/74 LO	NG. 155115	LAT. 35104	DATE 02/0	2/74 63	NG. 1558 0	LAT. 35109
START	TIME 040	5 301104	TIME 0419			3 90TTOM	
DEPTH	TE 40	SALINITY	SIGHA-1	DEPTH	TEMP	SALINITY	SIGMA-T
1	14.579	34.13	25.41	0	14.551	34.1?	25.41
10	14.592	34.15	25.42	10	14.563	34.13	25.42
20	14.614	34.15	25.43	29	14.507	34.15	25.42
30	14.658	34.19	25.43	30	14.653	34.15	25.42
40	14.705	34.23	25.44	40	1 4 . 67 4	34.17	25.42
50	14.707	34.20	25.43	50	14.689	34.19	25.43
50	14.776	34.17	25.43	50	14.697	34.19	25.43
70	14.704	34.19	25.43	70	14.691	34.15	25.43
90	14.600	34.17	25.44	90	14.654	34.17	25.43
90	14.332	34.14	25.47	90	13.913	34.13	25.55
110	12.712	34.15	25.32	100	12.683	34.12	25.30
120	11.607	34.11	25.99	120	11.662	34.07	25.35
140	11.418	34.13	26.05	140	11.475	34.11	26.02
160	11.312	34.17	25.19	160	11.299	34.13	25.07
130	11.062	34.15	26.13	150	11.094	34.15	26.11
200	11.361	34.17	26.15	210	10.899	34.17	25.16
220	10.591	34.13	26.22	220	13.679	34.15	25.21
240	13.454	34.21	26.27	240	10.443	34.15	25.25
260	13.255	34.22	26.32	260	10.344	34.13	26.28
277	9.981	34.20	26.35	279	19.099	34.19	26.31

STATION NUMBER 142

START TIME 1237 BOTTOM TIME 1243

75014	TEMP	SALIMITY	SIGMA-T
1	14.575	34.15	25.41
10	14.617	34.15	25.43
20	14.547	34.17	25.43
39	14.659	34.19	25.44
+0	14.568	34.13	25.44
50	14.669	34.19	25.44
50	14.579	34.19	25.44
70	14.675	34.19	25.44
40	14.674	34.19	25.43
90	14.552	34.15	25.43
1 30	17.446	34.15	25.57
120	11.721	34.07	25.94
140	11.432	54.12	26.03
160	11.255	34.13	25.08
130	11.044	34.15	26.13
136	10.943	34.14	26.14

STATION NUMBER 143

START TIME 2026 BOTTOM TIME 2040

HTES	TEMP	SALINITY	SIGMA-T
0	14.735	34.15	25.42
10	14.753	34.19	25.42
23	14.715	34.19	25.43
30	14.650	34.19	25.44
40	14.692	34.20	25.44
50	14.684	34.20	25.45
60	14.592	34.22	25.44
79	14.673	34.20	25.45
10	14.259	34.15	25.50
90	12.668	34.17	25.53
100	11.888	34.13	25.93
120	11.542	34.12	26.01
148	11.366	34.14	26.06
160	11.160	34.14	25.10
190	11.010	34.17	25.15
200	10.404	34.18	25.19
550	11.752	34.22	25.24
240	10.435	34.19	26.27
259	11.329	14.23	25.32
274	10.114	34.21	26.34
	9 10 20 30 40 50 60 70 40 10 10 10 10 10 10 10 10 10 10 10 10 10	0 14.735 10 14.753 20 14.715 30 14.650 40 14.692 50 14.684 60 14.692 70 14.673 40 14.673 40 11.888 120 11.542 148 11.366 160 11.160 190 11.010 200 10.404 220 12.754 260 10.435 260 10.435 260 10.435	0 14.735 34.19 10 14.735 34.19 20 14.715 34.19 310 14.650 34.19 40 14.692 34.20 50 14.684 34.20 60 14.692 34.22 70 14.673 34.20 70 14.673 34.20 10 12.668 34.15 120 11.542 34.12 148 11.366 34.11 120 11.542 34.12 148 11.366 34.11 120 11.542 34.12 148 11.366 34.11 120 11.742 34.12 148 11.366 34.11 120 11.742 34.12 148 11.366 34.14 120 11.752 34.15 20 10.404 34.15 220 10.405 34.15

STATION NUMBER 044 (REDIGITIZED)

STATION MUMBER 1421

	12/74 LO		TIME 0006	DATE 92/9	13/74 LC	NG. 15511-		
							174E 0436	•
25044	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T	
0	14.653	34.15	25.44	9	14.537	34.15	25.44	
10	14.653	34.19	25.44	10	14.555	34.15	25.43	
50	14.653	34.15	25.44	20	14.568	34.15	25.43	
30	14.642	34.19	25.44	30	14.574	34.15	25.43	
40	14.631	34.15	25.44	40	14.593	34.17	25.44	
50	14.627	34.19	25.44	53	14.621	34.19	25.44	4
50	14.664	34.20	25.44	50	14.605	34.15	25.44	
70	14.667	34.19	25.44	70	14.515	34.15	25.44	
10	14.295	34.12	25.46	• • • • • • • • • • • • • • • • • • • •	14.338	34.12	25.46	
90	13.668	34.20	25.66	90	13.629	34.20	25.67	
170	11.954	34.11	25.92	100	12.337	34.12	25.36	
123	11.648	34.13	26.00	120	11.617	34.1.	26.01	
140	11.434	34.14	26.05	140	11.319	34.14	26.07	
160	11.192	34.15	26.10	160	11.068	34.16	26.13	
190	11.000	34.15	26.14	160	10.957	34.17	26.18	
210	10.449	34.17	26.17	200	10.579	34.19	26.24	
220	10.625	34.29	26.24	220	10.322	34.21	26.29	
243	10.465	34.21	26.27	240	10.075	34.19	26.32	
260	13. 196	34.23	26.30	254	10.075	34.22	26.35	
290	11.165	34.23	26.34				20.33	
293	10.090	34.22	25.35					

STATION NUMBER 046 (REDIGITIZED)

STATION MUMBER 1.

			(KEDIGITIZED)				
			TIME 3617	DATE 92/0 START	TIME 091	NG. 15511 6 BOTTOM	5 . 1T. 35108
DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	STGMA-T
10 20 30 40 50 50 70 100 120 140 160	1 + . 563 1 + . 564 1 + . 564 1 + . 511 1 + . 611 1 + . 605 1 + . 543 1 + . 307 1 3 . 330 1 2 . 318 1 1 . 681 1 1 . 423 1 1 . 188	34.14 34.14 34.17 34.17 34.17 34.17 34.11 34.21 34.11 34.12 34.11 34.14	25.43 25.43 25.44 25.44 25.44 25.44 25.46 25.47 25.47 25.47	10 20 30 40 50 50 70 90 100 120 140	14.542 14.538 14.536 14.591 14.615 14.636 14.440 14.307 13.849 12.002 11.653 11.271	34.15 34.14 34.15 34.15 34.17 34.13 34.13 34.13 34.15 34.11 34.12	25.43 25.43 25.43 25.43 25.43 25.43 25.44 25.44 25.44 25.44 25.44 25.44
190 200 220 240 260 262	10.979 19.757 10.544 10.364 19.064	34.16 34.19 34.19 34.21 34.19 34.19	26.14 25.20 26.24 26.29 25.33 26.33	190 200 220 240 250 263	11.035 19.967 19.673 19.269 10.959	34.15 34.17 34.17 34.13 34.15 34.15	26.98 26.13 26.17 26.22 26.27 26.31

STATION NL MARE 0-9 (RECIPCIONAL)

DATE DEAD	7/74 LO		LAT. 35108 TIME 1020	CATE 12/1	3/74 LO		LAT. 35:09
75044	TEMP	SALINITY	SIGMA-T	76014	TEMP	ELLINITY	SIGHA-T
,	14.537	34.14	25.43	,	14.552	14.14	25.42
10	14.537	34.14	25.43	10	14.561	74.10	25.43
20	14.542	34.13	25.42	29	14.553	14.14	25.43
30	14.542	34.14	25.43	30	14.558	14.15	25.43
40	14.542	34.14	25.43	40	14.558	34.15	25.43
50	14.571	34.15	25.44	50	14.547	3 1 -	25.43
50	14.598	34.17	25.44	50	14.552	3 15	25.43
70	14.500	34.15	25.44	70	14.553	34.15	25.44
90	14.318	34.12	25.46	50	14.389	34.13	25.46
90	14.209	34.18	25.47	90	14.569	34.21	25.48
100	13.914	34.25	25.64	100	12.691	14.10	25.31
120	11.919	34.13	25.95	120	11.906	34.16	25.96
140	11.603	34.13	26.01	140	11.577	3 1 +	25.02
160	11.345	34.14	26.16	160	11.319	3 4.15	26.38
130	11.164	34.15	26.11	190	11.162	3 17	26.12
200	10.935	34.15	26.16	200	10.921	3 17	26.16
220	10.670	34.17	26.21	220	17.710	319	26.21
2+0	10.449	34.15	26.26	240	10.531	319	25.25
259	10.113	34.15	25.30	260	10.168	3 17	26.29
				265	10.095	317	25.30

STATION NUMBER 050

(46010111750)			(450101112501				
CATE 32/0	3/74 10	NG. 155 : 15	LAT. 35:34	CATE 02/1	3/74 LC	NG. 155 11	LAT. 3510
	TI 4E 143		TI4E 1449		TIME 163		TIME 1653
SEOTH	TEMP	SALINITY	SIGHA-T	DEPTH	TE 40	SALIMITY	SIGH4-T
1	14.579	34.14	25.42	1	14.561	34.12	25.41
10	14.579	34.14	25.42	10	14.592	34.1.	25.42
23	14.574	34.14	25.42	20	14.584	14.14	25.42
30	14.573	34.14	25.42	30	14.579	34.14	25.42
40	14.563	34.14	25.42	40	14.579	3 15	25.42
50	14.569	34.15	25.43	50	14.579	34.15	25.42
50	14.521	34.17	25.43	60	14.545	34.15	25. +3
70	14.551	34.14	25.43	70	14.536	34.15	25.44
10	14.416	34.1.	25.45	90	14.307	34.15	25.49
90	14.534	34.25	25.52	90	13.588	34.19	25.64
100	12.752	34.11	25.77	100	12.734	34.13	25.76
120	11.930	34.11	25.95	120	11.963	34.23	26.00
140	11.502	34.12	26.02	140	11.505	34.17	25.06
160	11.373	34.14	26.36	160	11.403	34.23	25.10
190	11.194	34.17	26.11	190	11.205	34.19	26.13
210	11.051	34.17	26.16	500	10.939	3+.20	25.18
229	10.750	34.17	25.20	220	10.566	34.19	26.24
240	10.509	34.17	26.23	240	10.239	34.17	26.29
250	19.276	34.17	26.28	250	10.037	34.17	26.32
267	10.144	34.17	26.30				

STATION NUMBER 052 (REDIGITIZED)

STATION NUMBER 053 (REDIGITIZED)

0ATE 02/1	3/74	LONG.	155115	LAT	. 35108
31761	TI 4E	1 124	P01108	TIME	1839

DATE	12/1	3/74	LONG.	155 1 1 5	LAT	. 35 10
51	TART	TIME	2034	BOTTOM	TIME	2048

75P*4	TEMP	SALINITY	SIGMA-T	
,	14.544	34.17	25.45	
10	14.571	34.15	25.43	
23	14.582	34.15	25.43	
30	14.579	34.15	25.43	
40	14.578	34.15	25.43	
50	14.551	34.15	25.44	
60	14.553	34.17	25.44	
70	14.570	34.21	25.44	
90	14.509	34.24	25.51	
99	13.544	34.13	25.63	
100	12.487	34.13	25.39	
129	12.197	34.29	26.01	
1.0	11.701	34.25	26.09	
150	11.268	34.21	26.13	
150	11.176	34.22	25.16	
200	11.462	34.22	26.22	
220	10.544	34.20	26.26	
240	13.293	34.23	26.30	
256	10.053	34.17	26.33	

DEPT	TE 4P	SALINITY	SIGHA-T
0	14.568	34.15	25.43
10	14.564	34.15	25.43
20	14.574	34.15	25. +3
30	14.574	34.15	25.+3
40	14.579	34.15	25.43
51	1 4.548	34.15	25.44
60	14.706	34.24	25.47
75	14.503	34.22	25.48
90	13.756	34.11	25.57
90	13.309	34.11	25.66
100	12.678	34.15	25.33
125	12.207	34.27	26.00
140	11.839	34.29	25.38
16	11.445	34.23	25.12
146	11.133	34.22	25.15
201	10.933	34.23	25.21
221	10.544	34.22	25.26
241			25.30
26			25.34
26			26.35

STATION NUMBER 054

DATE 02/0.	3/74	LONG.	155115	LAT	. 35109
51421	TIME	2204	301104	TIME	2217

DATE	32/30	4/74	LONG.	1551 22	LAT.	35 1 05
51	ART '	TIME	2018	BOTTOM	TTME 1	0 12

DEPTH	TEMP	SALINITY	SIGHA-T
1	14.612	34.15	25.42
13	14.509	34.15	25.43
23	14.613	34.15	25.42
37	14.615	3+.15	25.42
60	14.509	34.15	25.43
50	14.598	34.15	25.43
50	14.543	34.15	25.44
77	14.699	34.24	25.47
30	14.098	34.14	25.52
90	13.423	34.37	25.53
100	13.197	34.11	25.69
123	12.311	34.22	25.35
140	12.045	34.29	25.04
160	11.194	34.17	25.08
190	11.397	34.24	26.13
233	11.166	34.22	25.16
220	11.194	34.23	26.21
240	10.571	34.21	25.26
260	10.201	34.19	25.30
271	13.145	34.21	26.33

HTESC	TEMP	SALINITY	SIGMA-T
)	14.607	34.15	25.43
10	14.604	34.15	25.43
20	14.609	34.15	25.43
30	14.511	34.15	25.43
40	14.502	34.15	25.43
50	14.595	34.15	25.43
60	14.622	34.19	25.44
70	14.371	34.17	25.44
50	14.016	34.09	25.50
90	13.625	34.04	25.54
100	13.143	34.10	25.59
120	12.495	34.29	25.96
140	11.980	34.27	25.04
160	11.654	34.27	25.10
190	11.179	34.22	25.15
200	11.013	34.24	25.20
220	10.696	34.22	25.24
240	11.492	34.23	25.28
269	10.063	34.19	25. 32
290	9.840	34.19	26.36
295	9.301	34.19	25.37

STATION NUMBER 057

CATE 02/0	4/74 LO	NG. 155122	LAT. 35105	DATE 02/0	4/74 LO	NG. 15512	2 3510
-	TI 4E 020		TIME 1221		TI "E 035		1146 0412
25014	TEMP	SALINITY	SIGMA-T	25014	TEMP	SALINITY	\$7'6H4-T
1	14.504	34.15	25.42	0	14.694	34.15	24 . 42
10	14.608	34.15	25.42	10	14.609	34.15	2 2
20	14.509	34.15	25.42	50	14.609	34.15	24 . 42
30	14.607	34.15	25.42	30	14.605	34.15	2 .42
40	14.600	34.15	25.43	49	14.597	34.15	24 . 42
50	14.598	34.15	25.43	50	14.599	34.16	24 . +3
60	14.670	34.29	25.45	50	14.657	34.15	25 .44
77	14.177	34.13	25.48	70	14.035	34.99	29 .49
10	13.365	34.05	25.51	10	13.531	34.02	25 . 53
90	13.533	34.03	25.53	90	13.491	34.04	24.57
130	13.306	34.17	25.53	100	12.795	34.15	24 . 90
120	12.369	34.25	25.96	120	12.192	34.23	25 . 99
140	11.779	34.22	25.14	140	11.919	34.25	25 . 15
160	11.491	34.22	26.10	160	11.643	34.25	2 10
190	11.156	34.21	26.15	190	11.417	34.24	25.13
233	11.021	34.24	25.20	200	11.126	34.24	25 -19
220	10.703	34.22	25.24	220	10.803	34.22	25.23
240	13.528	34.23	26.28	240	10.511	14.22	25.27
260	10.095	34.19	25.32	260	10.154	34.20	25.32
272	9.950	34.15	26.34	272	9. 945	34.15	29.34

STATION NUMBER 051

24	TE 02/	04/74 LO	NG. 155122	LAT. 35105	DATE 02/1	14/74 LO	NG. 15312	2 LAT. 3510	5
	51107	TI 4E 160	4 907704	TIME 0619		TIME 380		TI4E 1820	
	350TH	TEMP	SALINITY	SIGMA-T	25914	TEMP	SALINITY	SIG-4-T	
	0	14.506	54.19	25.45	0	14.651	34.19	25.44	
	10	14.613	34.13	25.45	10	14.559	34.19	25.44	
	21	14.523	34.19	25.45	20	14.661	34.21	25.45	
	30	14.619	34.19	25.45	30	14.658	34.20	25.45	
	40	1 4. 507	34.19	25.45	40	14.500	34.19	25.45	
	50	14.602	34.19	25.45	50	14.565	34.19	25.46	
	50	14.534	34.19	25.46	50	14.426	34.17	25.47	
	73	14.020	34.13	25.51	70	14.142	34.13	25.50	
	90	13.636	34.05	25.55	90	13.799	34.35	25.54	
	90	13.519	34.05	25.59	90	13.618	34.04	25.55	
	100	12.839	34.23	25.35	100	13.434	34.05	25.51	
	120	12.215	34.30	26.13	120	12.129	34.25	26.10	
	140	12.109	34.32	26.08	140	12.099	34.23	26.04	
	150	11.710	34.31	25.13	160	11.946	34.32	25.09	
	190	11.351	34.25	26.16	190	11.797	34.29	26.11	
	200	11.123	34.29	25.21	201	11.443	34.27	26.15	
	220	19.764	34.25	26.26	220	11.293	34.25	26.19	
	240	11.394	34.24	26.31	241	10.943	34.24	26.23	
	260	1.959	34.20	26.35	260	11.499	34.24	26.29	
	259	9.775	34.19	25.35	254	10.361	34.23	25.31	

STATION NUMBER 061

DATE 02/	04/74 LO	NG. 1551 22	LAT. 35:05	DATE 02/0	4/74 L	ONG. 15512:	LAT. 35:05
START	TIME 104	MOTTOR 0.	TIME 1110		TIME 13		TIME 1315
16014	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
,	14.695	34.23	25.44	1	14.492	34.21	25.41
10	14.689	34.23	25.44	10	14.755	34.23	25.44
20	14.694	34.29	25.44	20	14.750	34.23	25.45
30	14.706	34.21	25.45	30	14.776	34.23	25.45
+0	14.719	34.21	25.45	40	14.756	34.23	25.45
50	14.695	34.22	25.45	50	14.743	34.22	25.45
50	14.574	34.22	25.46	60	14.684	34.22	25.46
70	14.204	34.14	25.50	70	14.566	34.23	25.47
40	13.539	34.03	25.53	90	14.077	34.12	25.51
90	13.609	34.03	25.54	91	13.741		25.52
100	13.511	34.0%	25.57	100	13.599	34.0+	25.55
120	12.300	34.24	25.36	120	12.437	34.27	25.95
140	12.115	34.29	26.13	140	12.085		26.02
160	11.903	34.29	25.07	150	11.912	34.29	25.36
150	11.545	34.29	26.12	190	11.696	34.29	25.11
200	11.339	34.27	25.16	200	11.340		26.17
220	11.980	34.25	26.21	220	13.97		26.22
240	10.599	34.23	26.27	240	10.532		26.27
260	11.259	34.22	25.31	260	10.060		25.31
290	9.942	34.15	26.34				
100	9.779	34.13	26.37				
311	9.680	34.13	25.40				

STATION NUMBER DEZ

STATION NUMBER 15"

TE 02/0	4/74 LO	NG. 155122	LAT. 35105	0475 02/0	4/74 LO	NG. 155122	LAT. 351
START	TIME 141	9 30770#	TIME 1432	START	114E 155	1 307704	TIME 1605
DEPT4	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SISHA-T
0	15.064	34.22	25.38	1	15.070	34.22	25.38
10	14.813	34.22	25.43	10	14.934	34.24	25.44
29	14.798	34.22	25.43	21	14.920	34.24	25.44
10	14.794	34.22	25.43	30	14.314	34.24	25.44
40	14.791	34.22	25.44	40	14.807	34.23	25.44
50	14.709	34.21	25.44	50	14.746	34,22	25.45
50	14.696	34.21	25.45	50	14.677	34.22	25.46
79	14.591	34.20	25.47	70	14.550	34.23	25.47
11	14.275	34.12	25.47	90	14.149	34.13	25.50
90	13.629	34.03	25.53	90	13.932	34.10	25.55
100	13.299	34.18	25.72	100	12.960	34.17	25.77
120	12.341	34.24	25.95	120	11.765	34.12	25.97
140	12.750	34.24	25.31	140	12.045	34.25	26.02
160	11.905	34.25	25.06	160	11.427	34.27	26.08
180	11.708	34.29	25.11	190	11.614	34.30	26.14
230	11.298	34.25	26.17	200	11.252	34.29	25.19
220	13.972	34.22	25.21	550	11.875	34.25	25.24
240	10.541	34.21	25.26	240	10.444	34.22	25.28
260	13.355	34.15	25.32	250	17.117	34.21	25.33
259	9.929	34.15	25.34	270	9.745	34.15	25.35

STATION NUMBER 16"

347= 02/	14/74 10	NG. 155122	LAT. 35105	DATE 02/1	4/76 10	NG. 155122	LAT. 35105
	TIME 180		TIME 1821		TI 4E 200		": 4E 2020
Jeeth	TE 40	SALINITY	SIGH4-T	75974	TEMP	SALINITY	SIGMA-T
3	14.987	34.23	25.40	0	15.149	34.22	25.36
10	14.857	34.23	25.+3	10	14.957	34.24	25.+3
20	14.837	34.23	25.43	50	14. 535	34.23	25.43
30	14.829	34.23	25.44	30	14.831	34.23	25.44
+0	14.321	34.23	25.44	40	14.527	34.23	25.44
50	14.772	34.22	25.44	50	14.797	34.23	25.44
50	14.601	34.20	25.46	50	14.690	34.21	25.45
79	14.330	34.15	25.49	70	14.493	34.18	25.47
11	13.960	34.11	25.52	90	14.056	34.10	25.50
90	13.352	34.11	25.65	90	13.677	34.14	25.51
100	12.145	34.12	25.90	100	12.331	34.14	25.38
120	11.964	34.20	25.99	120	11.938	34.20	26.00
140	11.982	34.25	26.04	140	12.029	34.25	26.32
160	11.768	34.25	26.18	160	11.920	34.27	26.07
110	11.677	34.31	26.13	150	11.720	34.51	26.13
200	11.275	34.29	25.18	200	11.477	34.29	25.16
220	10.837	34.24	26.24	220	11.200	34.29	25.20
240	10.494	34.21	26.27	240	10.665	34.22	25.25
260	10.107	34.21	25.33	250	10.499	34.23	26.28
273	9.929	34.20	26.36	290	10.127	34.23	26.33
				247	11 161	24. 21	26 74

STATION NUMBER DEE

CATE 12/2	14/74 10	NG. 155122	LAT. 35:05	CATE 02/0	5/74 10	NG. 155125	LAT. 35:02
	TI4E 230		TIME 2324		TIME 021		TIME 02:2
DEPTH	TEMP	SALINITY	SIGHA-T	ЭЕРТН	TE 40	SALINITY	SIGHA-T
0	15.059	34.23	25.39	0	15.073	34.24	25.39
10	14.762	34.24	25.41	10	14.957	34.24	25.43
20	14.556	34.23	25.43	20	14.855	34.23	25.43
50	14.541	34.23	25.44	30	14.951	34.23	25.43
40	14.340	34.24	25.44	40	14.945	34.23	25.43
50	14.914	34.23	25.44	50	14.819	34.23	25.44
50	14.712	34.21	25.45	61	14.759	34.22	25.44
70	14.599	34.20	25.46	70	14.543	34.19	25.+7
10	14.345	34.15	25.48	90	14.155	34.12	25.49
90	14.009	34.13	25.53	90	14.001	34.11	25.52
100	13.529	34.11	25.60	100	13.513	34.11	25.52
120	12.446	34.25	25.95	120	12.369	34.25	25.96
140	11.917	34.20	26.10	140	12.024	34.25	26.02
160	11.869	34.26	25.36	160	11.411	34.25	25.07
110	11.713	34.29	25.10	190	11.721	34.30	25.12
200	11.401	34.27	25.16	200	11.402	34.29	25.17
220	11.233	34.25	26.19	220	11.341	34.25	25.22
240	10.433	34.25	26.25	240	10.548	34.24	25.27
250	10.539	34.23	26.26	250	10.422	34.24	26.30
290	13.374	34.20	26.33			September 1	
221	9.911	34.13	25.15				

STATION NUMBER 16"

STATION NUMBER DEC

CATE 12/	15/74 10	NG. 155125	LAT. 35102	CATE 02/0	5/74 10	NG. 155126	LAT. 35102
	TIME 041		TIME 0432		TIME 065		TIME 0704
DEPTH	TEMP	SALINITY	SIGM4-T	DEPTH	TEMP	SALINITY	SIGNA-T
,	14.993	34.24	25.40	0	14.938	34.23	25.41
10	14.943	34.24	25.42	10	14.858	34.25	25.44
20	14.940	34.24	25.44	50	14.867	34.25	25.44
30	14.939	34.24	25.44	30	14. 954	34.25	25.44
40	14. 933	34.23	25.44	40	14.338	34.24	25.44
50	14.718	34.21	25.44	50	14.673	34.21	25.46
50	14.671	34.21	25.45	60	14.536	34.19	25.46
70	14.547	34.19	25.46	70	14.241	34.12	25.48
10	14.094	34.11	25.50	10	14.100	34.11	25.50
90	13.770	34.11	25.57	90	13.793	34.07	25.53
100	13.090	34.14	25.73	100	13.338	34.09	25.64
120	12.199	34.13	25.96	120	11.838	34.10	25.94
140	12.934	34.25	26.03	140	12.043	34.25	25.12
160	11.702	\$4.25	25.09	160	11.455	34.27	26.17
190	11.681	34.32	25.14	150	11.702	34.29	25.11
200	11.239	34.29	26.19	200	11.548	34.33	26.15
220	10.959	34.27	26.23	220	11.221	34.29	26.21
240	10.559	34.24	26.28	240	10.946	34.27	26.24
269	11.155	54.21	26.32	260	13.466	34.24	26.30
274	9.903	34.19	25.36	271	10.219	34.23	26.53

STATION NUMBER 370

415 02/	15/74 L)	NG. 155125	LAT. 35102	34TE 32/1	5/74 LO	NG. 155125	LAT. 35102
31421	714E 043	6 301104	TIME 1850	START	TIME 102	3 901104	TIME 10 18
DEPTH	TEMP	SALINITY	SIGHA-T) EPT4	TEMP	SALINITY	SIGMA-T
0	14.592	34.24	25.43	0	14.916	34.24	25.42
13	14.389	34.2%	25.43	10	14.992	3 2 -	25.43
23	14.971	34.25	25.44	20	14.571	34.25	25.44
30	14.456	34.25	25.44	30	14.965	34.25	25.44
+0	14.950	34.25	25.44	40	14.855	34.25	25.44
51	14.565	34.21	25.46	50	14.792	34.24	25.45
50	14.198	34.10	25.47	60	14.066	34.33	25.49
79	13.997	34.10	25.51	70	13.700	34.04	25.53
40	13.601	34.0+	25.54	90	13.564	34.02	25.54
30	13.235	34.07	25.54	90	13.510	34.34	25.57
100	12.442	34.15	25.96	100	12.930	34.17	25.30
120	11.440	34.14	25.37	120	11.473	34.13	25.36
140	12.015	34.25	26.03	140	11.951	34.22	25.01
160	11.936	34.27	26.07	160	11.374	34.27	25.07
190	11.716	34.31	25.13	150	11.697	34.23	25.11
200	11.593	34.32	25.16	200	11.631	34.31	26.15
550	11.135	34.29	26.21	221	11.365	34.33	26.18
240	10.322	34.25	25.25	240	10.940	34.27	26.24
263	10.332	34.22	26.31	250	10.577	34.24	25.28
255	19.196	34.22	26.33	2.0	10.137	34.23	26.33
				294	9.972	34.23	25.35

STATION NUMBER DT!

F 02/0	5/74 10	NG. 155125	LAT. 35102	DATE 02/0	5/74 LO	NG. 155125	LAT. 35
	TIME 125		TIME 1306		TIME 144		TIME 1458
DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGHA-T
. 0	14.927	34.21	25.40	0	14.906	34.19	25.39
13	14.901	34.21	25.41	10	14.900	34.19	25.39
23	14.860	34.22	25.42	29	14.997	34.20	25.40
30	14. 457	34.22	25.42	30	14.427	34.21	25.42
40	14.837	34.22	25.43	49	14.796	34.21	25.42
50	14.815	34.22	25.43	50	14.650	34.17	25.43
60	14.733	34.21	25.44	60	14.275	34.09	25.44
70	14.153	34.13	25.48	79	14.000	34.05	25.48
90	13.865	34.03	25.49	80	14.001	34.09	25.50
90	13.602	34.01	25.52	90	13.636	34.02	25.53
170	13.546	34.04	25.56	100	13.545	34.14	25.53
120	12.138	34.15	25.92	120	12.198	34.23	25.97
140	12.070	34.22	25.39	140	11.867	34.23	26.34
160	11.395	34.24	26.04	160	11.740	34.25	26.08
140	11.747	34.24	26.37	130	11.634	34.23	25.13
200	11.705	34.30	26.12	200	11.217	34.25	26.17
523	11.249	34.25	26.17	220	19.953	34.25	25.22
240	10.850	34.24	25.23	240	10.543	34.21	26.26
253	17.413	34.21	26.29	259	11.222	34.19	26.30
230	10.108	34.19	26.32				
216	9.960	34.19	26.34				

STATION NUMBER 174

	5/74 LO		LAT. 35:02 TIME 1656		TIME 182		TIME 1019
SEPTH.	TEMP	SALINITY	SIGMA-T	DEPTH	TEND	SALINITY	SIGMA-T
1	14.475	34.17	25.33	•	14.549	34.14	25.36
10	14.472	34.19	25.38	10	14.440	34.15	25.38
20	14.852	34.15	25.39	20	14.837	34.17	25.38
30	14.725	34.17	25.41	30	14.731	34.15	25.40
40	14.594	34.14	25.42	40	14.410	34.09	25.42
50	14.354	34.05	25.42	50	14.450	34.13	25.44
60	14.343	34.11	25.45	60	14.241	34.09	25.45
70	14.134	34.09	25.48	70	13.981	34.05	25.45
•0	13.733	14.01	25.50	10	13.542	33.99	25.51
30	13.524	33.99	25.53	90	13.384	34.02	25.58
100	13.391	34.05	25.62	110	12.662	34.10	25.73
120	12.290	34.21	25.94	120	11.759	34.11	25.96
148	11.960	\$4.22	26.01	140	12.159	34.29	25.12
150	11.761	34.25	25.17	160	11.549	34.20	25.07
190	11. 162	34.22	25.12	140	11.372	34.21	26.13
200	11.131	34.23	25.17	200	17.948	34.20	25.18
220	13.843	34.23	25.22	220	10.610	34.19	25.22
240	10.478	34.15	26.25	240	10.489	34.13	25.25
2.9	10.333	34.19	25.27	260	10.199	5+.17	25.29
				271	9.943	34.15	25.33

STATION NUMBER OFE

STATION NUMBER 077

04TE 02/1	5/74 LO	NG. 155125	LAT. 35102	DATE 32/3	5/74 LO	NG. 155125	LAT. 35102
THE RESERVE THE PROPERTY OF THE PARTY OF THE	TIME 201		114E 5058			0 901104	
CEPTH	7E 40	SALINITY	SIGNA-T	DEPTH	TEMP	SALINITY	SIGMA-T
0	14.939	34.15	25.37	0	14.437	14.15	25.38
10	14.541	34.17	25.19	10	14.835	34.17	25.39
20	14.436	34.20	25.41	20	14.432	34.15	25.40
30	14.515	34.20	25.42	30	14.796	34.19	25.41
40	14.567	34.19	25.44	40	14.674	34.19	25.44
50	14.601	34.15	25.44	50	14.663	34.19	25.44
60	14.624	34.19	25.45	50	14.579	34.17	25.45
73	14.275	34.13	25.48	70	14.540	34.15	25.46
90	14.296	34.15	25.49	50	14.286	34.15	25.49
90	13.724	34.04	25.52	90	14.106	34.15	25.53
100	13.692	34.07	25.55	100	13.672	34.13	25.55
120	11.962	34.09	25.93	120	11.712	34.10	25.36
140	11.555	34.13	26.12	140	11.535	34.13	26.32
160	11.470	34.15	26.06	160	11.280	34.15	26.18
190	11.317	34.17	26.09	150	11.109	34.15	26.12
200	10.166	34.15	26.17	200	11.000	34.17	25.15
220	10.763	34.21	26.22	220	10.743	34.19	25.20
240	13.588	34.21	26.26	240	10.562	34.20	25.25
250	11.295	34.21	26.30	250	13.268	34.29	25.30
290	9.355	34.19	25.35	274	9.977	34.15	25.34

STATION NUMBER 079

	6476 10	NC 182124	LAT. 35104	2475 2240			
				UATE UZ/O	5//4 LO		LAT. 3510
START	11.0E 0.03	6 901104	11ME 30 44	START	TIME 123	0 307704	TIME 0244
DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TE 40	SALINITY	SIGHA-T
1	14.925	34.17	25.39	9	14.933	34.15	25.38
13	14.924	34.15	25.39	10	14.912	34.17	25.19
20	14.414	34.19	25.40	20	14.301	34.17	25.40
30	14.752	34.19	25.41	30	14.654	34.15	25.43
+0	14.534	34.19	25.44	40	14.495	34.15	25.44
50	1 530	34.17	25.46	50	14.405	34.13	25.45
50	14.500	34.15	25.45	60	14.304	34.11	25.46
73	14.304	34.12	25.46	70	14.309	34.13	25.47
30	14.350	34.15	25.46	90	14.345	34.15	25.49
90	14.176	34.19	25.54	90	14.140	14.19	25.55
100	13.330	34.19	25.71	100	13.044	34.15	25.76
120	11.732	34.11	25.37	129	11.790	34.11	25.76
1+0	11.507	34.13	25.13	140	11.532	34.12	25.02
150	11.258	34.14	26.08	160	11.402	34.15	25.06
190	11.105	34.15	25.13	190	11.127	34.15	26.11
277	11.994	34.15	26.16	200	11.194	34.19	25.14
220	19.921	34.15	25.19	220	10.425	34.19	26.19
240	10.648	34.23	26.26	240	10.500	34.22	26.26
250	10.255	34.19	26.30	244	10.554	34.22	25.27
279	9.975	34.17	25.34				-0.0.

STATION NUMBER 181

	11 -E 043		TIME 0449		15/74 LO		TIME 0721
эертн	1E 40	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
0	1 77 1	34.16	25.40	0	14.721	34.15	25.41
10	14.774	34.17	25.40	10	14.737	34.15	25.40
50	1 791	34.17	25.40	20	14.743	34.17	25.41
10	14.746	14.19	25.+1	30	14.495	34.16	25.45
40	14.535	34.15	25.44	40	14.431	34.14	25.45
51	14.405	2 13	25.45	50	14.395	34.12	25.45
50	14.389	34.13	25.45	60	14.247	34.10	25.46
73	14.400	34.15	25.46	70	14.390	34.17	25.48
• • • •	14.397	34.17	25.48	90	14.188	34.18	25.54
90	14.112	34.19	25.56	90	13.972	34.20	25.60
100	13.259	34.19	25.73	100	12.224	34.14	25.90
120	11.990	34.11	25.94	120	11.670	34.12	25.99
140	11.535	34.13	25.12	140	11.534	34.17	25.15
160	11.523	34.17	25.16	160	11.216	34.15	25.10
190	11.153	34.15	25.10	190	11.367	34.24	26.14
200	11.367	34.24	26.14	200	11.007	34.22	26.19
220	19.350	34.21	26.18	220	10.656	34.20	26.24
240	11.559	34.22	26.25	240	10.335	34.23	26.29
250	10.326	34.20	25.29	250	10.134	34.20	26.33
250	12.029	34.19	25.34	276	9.355	34.13	26.36
236	3.792	34.15	25.37				

STATION NUMBER 142

				CATE DZ/D	6/76 10	NG. 15512.	LAT. 3510
	114E 390		TIME 1925		TIME 105	8 BOTTON	TIME 1114
35014	TEMP	SALINITY	SIGHA-T	DEPTH	TEMP	SALINITY	SIGNA-T
1	14.719	34.15	25.41	0	14.764	34.15	25.39
10	14.719	34.15	25.41	10	14.733	34.15	25.40
21	1 710	34.15	25.41	20	14.569	34.15	25.41
30	14.463	34.14	25.45	30	14.461	34.15	25.45
+0	14.458	34.14	25.45	40	14.484	34.15	25.45
51	14.381	34.12	25. +5	50	14.379	34.13	25.46
50	14.251	34.10	25.46	60	14.277	34.11	25.46
70	14.255	34.12	25.47	70	14.213	34.13	25.46
10	14. 773	34.13	25.50	50	14.362	34.17	25.49
99	14.095	34.19	25.55	90	14.251	34.19	25.52
107	13.939	34.19	25.78	100	13.733	34.20	25.55
120	11.626	34.13	25.98	120	11.791	34.13	25.98
1+0	11.508	34.1.	25.03	140	11.549	34.14	26.03
150	11.295	74.15	26.19	160	11.298	34.15	25.08
190	11.350	34.15	25.13	110	11.195	34.16	25.12
200	13.425	34.13	25.19	500	10.495	34.15	26.18
221	10.631	34.13	25.23	220	10.595	34.19	25.22
2.0	17.548	34.22	26.27	240	10.523	34.21	25.26
240	11.202	34.20	26.31	250	10.340	34.21	26.30
275	3.475	34.21	25.37	254	10.271	34.20	25.30

STATION NUMBER 115 (REDIGITIZED)

DATE 02/	16/74 10	NG. 155124	LAT. 35104	CATE 12/0	6/74 LO	NG. 15512.	LAT. 35104
	TI 46 130		TIME 1324	START	TIME 172	90110 M	THE 1778
DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
0	14.800	34.15	25.39	0	14.632	34.15	25.44
10	14.741	34.15	25.40	10	14.532	34.19	25.44
20	14.661	34.15	25.+1	20	14.619	34.18	25.45
30	14.545	34.17	25.45	30	14.550	34.19	25.46
+0	14.572	34.15	25.45	40	14.257	34.14	25.49
50	14.495	34.15	25.45	50	14.272	34.19	25.52
60	14.466	34.15	25.46	60	13.794	34.07	25.53
70	14.319	34.13	25.47	70	13.645	34.05	25.55
10	14.317	34.15	25.49	10	13.541	34.05	25.57
90	14.165	34.15	25.52	90	13.468	34.35	25.59
		34.13	25.55	100	13.133	34.05	25.66
100	13.915		25.19	120	11.710	34.19	25.02
120	12.335	34.15		140	11.479	34.17	26.06
140	11.515	34.13	26.11	160	11.269	34.18	26.11
160	11.443	14.16	26.05	180	10.995	34.17	26.15
190	11.262	34.17	26.10	200	10.902	34.23	26.19
500	11.050	34.13	26.15	220	10.751	34.25	26.25
553	10.789	34.19	26.19	240	10.450	34.23	
240	13.589	34.19	26.24				25.29
250	10.347	34.20	26.28	250	10.146	34.22	25.34
269	10.260	34.20	25.30	251	10.120	34.22	25.34

STATION NUMBER DAG

STATION NUMBER 14" (REDIGITIZED)

24	15 02/	16/74 LON	16. 15512	LAT. 35104	3ATE 02/	16/74 LO	NG. 15512	LAT. 351
	START	TIME 1929	901104	TIME 1944	START	TI 4E 221	5 801104	TT4E 2230
) SPT4	TEMP	SALINITY	SIGHA-T	26014	TEMP	SALINITY	SIGMA-T
	,	14.632	34.19	25.45	0	14.653	34.21	25.46
	10	14.632	34.20	25.45	13	14.552	34.21	25.46
	20	14.511	34.23	25.46	20	14.658	34.21	25.46
	30	14.555	34.13	25.46	30	14.644	34.22	25.46
	+0	14.470	34.20	25.49	40	14.508	34.22	25.47
	50	14.257	34.15	25.49	50	14.400	34.29	25.50
	50	13.497	34.07	25.52	50	13.998	34.11	25.52
	79	13.631	34.15	25.55	70	13.729	34.07	25.55
	30	1 7. 485	34.05	25.58	10	13.522	34.35	25.57
	90	13.452	34.03	25.59	90	13.490	34.07	25.59
	100	12.871	34.05	25.72	100	13.238	34.09	25.65
	120	11.515	34.15	25.39	120	11.804	34.17	26.00
	140	11.540	34.19	26.15	140	11.415	34.17	26.17
	160	11.316	34.19	26.10	150	11.159	34.20	25.13
	190	11.050	34.19	25.15	167	11.111	34.20	26.15
	500	10.957	34.23	26.21				
	550	10.722	34.24	26.25				
	5+1	10.415	34.25	26.31				
	260	10.057	34.23	25.36				

STATION NUMBER 034 (PEDIGITIZED)

STATION NUMBER 189

DATE 32/	37/74	LONG.	155121	LAT	. 35105
START	TIME	3022	BOTTOM	TIME	0043

***	TART	TIME	0032	30110	11 1	45	0043
	EPTH	TE	40	SALINI	Y 5	IGH	1 - T
	0	14.	542	34.20		25.	.5
	10	14.1	542	34.20		25.	45
i	20	14.	544	34.29		25.	45
	30	14.1	633	34.29		25.	46
	40	14.	569	34.21	1	25.	47
	50	14.	359	34.15		25.	+9
	50	13.	928	34.09		25.	51
	70	i 3 .	666	34.05		25 .	54
	80	13.	526	34.05		25.	57
	90	13.	502	34.06	1	25.	58
	100	12.	900	34.07		25.	74
	120	11.	582	34.19		26 .	20
	140	11.	457	34.14		26.	05
	160	11.	276	34.17		25 .	10
	190	11.	197	34.19		25.	15
	137	13.	997	34.22		25.	21

DATE 12/07/74 LONG. 155:21 LAT. 35:05 START TIME 1244 BOTTOM TIME 1258

TEPTH	TEMP	SALINITY	SIGMA-T
0	14.529	34.15	25.46
13	14.532	34.20	25.47
20	14.532	34.20	25. +7
30	14.537	34.20	25.47
40	14.535	34.19	25.47
50	14.510	34.20	25.48
50	14.438	34.15	25.+8
70	14.195	34.19	25.47
30	13.719	34.06	25.54
90	13.546	34.75	25.57
170	13.511	34.09	25.50
120	12.142	34.22	25.37
140	11.696	34.15	25.03
150	11.374	34.18	26.19
130	11.194	34.13	26.13
200	17.984	34.21	25.19
204	10.987	34.24	26.20

STATION NUMBER 199

DATE 02/07/74 LONG. 155121 LAT. 35:05 START TIME 0432 BOTTOM TIME 0450

16014	TEMP	SALINITY	SIGMA-T
0	14.579	34.20	25.46
10	14.603	\$4.20	25.46
20	1 4 . 515	34.20	25.46
30	14.512	34.20	25.46
40	14.516	14.20	25.46
50	14.584	34.13	25. +5
50	14.192	34.12	25.48
70	13.779	34.95	25.52
90	13.595	34.07	25.57
90	13.533	34.05	25.57
170	13.526	34.97	25.58
129	12.171	34.19	25.34
140	11.672	34.13	25.14
150	11.323	34.17	25.09
110	11.190	34.19	26.13
176	11.022	34.21	26.17

STATION NUMBER 091 (REDIGITIZED)

04TE 02/07/74 LONG. 155:21 LAT. 35:05 START TIME 0635 BOTTOM TIME 0649

DEPTH	TEMP	SALINITY	SIGHA-T
0	14.574	34.20	25.45
10	14.574	34.20	25.45
50	14.584	34.20	25.44
30	14.69	34.20	25.44
40	14.580	34.29	25.+4
50	14.511	34.19	25.45
50	14.331	34.14	25.47
70	13.931	34.05	25.50
40	1 3.593	34.03	25.54
90	13.529	34.34	25.56
100	13.393	34.05	25.50
120	12.024	34.22	25.30
140	11.481	34.15	25.06
160	11.278	34.19	25.11
190	11.093	34.20	26.15
199	10.997	34.24	25.21

STATION NUMBER 092 (REDIGITIZED)

STATION NL MBER 197

DAT	12/	17/74	LONG.	155121	LAT.	35105
	TOOT	TIME	0.825	ROTTON	TIME D	843

CATE 02/07/	74 LONG.	155121	LAT.	35 : 05
START TI	45 1020	POTTON	TIME 10	13

06914	TEMP	SALINITY	SIGMA-T
0	14.580	34.20	25.46
10	14.584	34.29	25.47
29	14.589	34.29	25.47
30	14.599	34.20	25.47
40	14.595	34.23	25.47
53	14.552	34.19	25.47
50	13.934	34.12	25.54
70	13.656	34.05	25.55
90	13.395	34.08	25.52
90	13.319	34.07	25.63
100	12.709	34.22	25.97
120	11.797	34.21	26.03
140	11.443	34.19	25.08
160	11.257	34.21	26.13
190	11.143	34.29	26.21
200	10.703	34.23	26.25
220	10.426	34.22	26.29
240	10.231	34.21	25.31
241	10.227	34.21	25.32

DEPTH	TEMP	BI.INITY	SIGHA-T
0	14.579	14.21	25.48
10	14.579	1 4.22	25.48
20	14.584	1 4.22	25.48
30	14.584	1 4.22	25.48
40	14.584	1 4 . 22	25.48
50	14.547	34.21	25.48
50	14.336	34.19	25.50
70	13.888	3 4 . 13	25.56
90	13.607	3 4.07	25.57
90	13.495	54.09	25.50
100	12.816	* 4.09	25.75
120	11.707	3 15	25.01
140	11.523	34.24	25.11
160	11.264	1 4.22	26.14
190	11.120	3 2 4	25.18
199	10.837	3 23	26.22

STATION NUMBER 094 (REDIGITIZED)

STATION WINES 195

CATE	12/1	7/74	LONG.	155121	LAT.	35 105
51	191	TIME	1414	BOTTOM	TIME 1	425

CAT	5	02/7	7/74	LONG.	155121	LAT.	35135
	2.	TART	TIME	1532	POTTOR	TIME 1	5 4 5

DEPTH	TE 4P	SALINITY	SIGMA-T
3	14.679	34.23	25.47
10	1 4 . 679	34.23	25.47
23	14.574	34.23	25.47
30	14.674	34.24	25.47
+0	14.574	34.24	25.47
50	14.574	34.24	25.47
50	14.668	34.24	25. +8
*0	14.534	34.21	25.48
90	14.323	34.17	25.50
99	14.170	34.15	25.52
100	14.053	34.15	25.56
120	11.779	34.12	25.37
140	11.491	34.23	25.09
147	11.405	34.20	25.10

HTTS	TEMP	SALINITY	SIGMA-1
0	14.722	321	25.44
10	14.722	3 21	25.45
30	14.717	34.21	25.45
30	14.715	34.21	25.45
40	14.708	3 21	25.45
50	14.703	3 21	25.45
60	14.701	34.22	25.45
73	14.697	34.21	25.45
90	14.626	34.20	25. +6
90	14.516	34.20	25.48
100	14.297	34.18	25.51
120	12.111	34.12	25.91
140	11.666	34.17	25.13
160	11.361	34.19	25.19
180	11.179	34.23	25.14
200	13.996	34.21	25.18
237	10.904	34.21	25.20

STATION NUMBER 407

	7/74 LO		LAT. 35:05 TIME 2107		7/74 LO	NG. 155125 0 30770-	LAT. 35105 TIME 2304
75014	TEMP	SALINITY	SIGMA-T	26014	TEMP	SALINIT -	SIGMA-T
0	14.691	34.19	25.44	0	14.673	34.21	25.45
10	14.707	34.23	25 4	10	14.775	34.21	25. +5
20	14.710	34.13	25.43	20	14.709	34.21	25.45
30	14.712	34.13	25.43	30	14.710	34.21	25.45
40	14.710	34.13	25.43	•0	14.709	34.21	25.45
50	14.796	34.23	25.44	50	14.795	34.22	25.45
50	14.700	34.20	25.44	50	14.695	34.22	25.45
79	14.696	34.22	25.46	70	14.629	34.22	25.47
10	13.732	34.22	25.56	90	13.425	34.13	25.69
90	12.144	34.10	25.58	90	11.992	34.15	25.95
100	11.894	34.15	25.38	100	11.986	34.22	26.00
120	11.453	34.24	26.04	120	11.943	34.25	25.16
140	11.301	34.15	26.10	140	11.417	34.21	26.10
160	11.161	34.21	25.15	160	11.243	34.23	25.15
190	10.959	34.20	26.18	190	11.014	34.23	25.20
200	10.558	34.20	25.23	200	10.763	34.21	26.23
202	10.659	34.20	25.24	207	10.615	34.22	26.26

STATION NUMBER 194

= 12/1	9/74 LO	NG. 155114	LAT. 35:02	JATE 02/1	8/74 LO	NG. 1551	LAT. 35:0
STAPT	TT4E 010	4 801104	TIME 3116	START	TIME 031	0 801124	114E 3325
PTESC	1540	SALINITY	SIGMA-T	DEPTH	TEMP	SALINIT.	SIGMA-T
,	14.543	34.23	25.47	0	14.678	34.21	25.45
11	14.692	34.22	25.46	10	14.579	34.21	25.45
29	14.707	34.22	25.46	20	14.578	34.21	25.45
30	14.699	34.23	25.46	30	14.632	34.21	25.45
4.7	14.776	34.23	25.46	40	14.595	34.22	25.45
50	14.599	34.23	25.46	50	14.694	34.22	25.45
50	14.597	34.24	25.47	50	14.687	34.22	25.45
79	14.558	34.24	25.50	70	14.681	34.22	25.46
10	13.237	34.19	25.74	30	14.693	34.23	25.46
90	12.135	34.15	25.93	90	14.403	34.21	25.50
130	11.947	34.17	25.10	110	13.979	34.17	25.57
120	11.479	34.29	26.07	120	11.963	34.13	25.94
140	11.415	34.24	25.13	140	11.979	34.27	25.05
160	11.296	34.25	25.16	160	11.575	34.24	25.10
110	11.952	16.24	25.20	190	11.248	34.21	26.14
270	13.751	34.24	26.24	200	11.121	34.23	25.18
213	11.674	34.23	26.26	211	10.913	34.22	26.21

STATION NUMBER 101

34	15 32/5	15/74 LO	NG. 155114	LAT. 35102	DATE 02/0	4/74 LO	NG. 155114	LAT. 35:02
	21751	TIME 050	POTTO#	114E 0516	START	TIME 154	8 801104	TIME 0703
	75074	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGHA-T
	,	14.663	34.19	25.44	0	14.675	34.17	25.42
	10	14.671	34.15	25.43	10	14.673	34.17	25.42
	20	14.587	34.19	25.43	20	14.576	34.17	25.42
	30	14.690	34.13	25.43	30	14.679	34.17	25. +2
	43	14.555	34.19	25.43	40	14.679	34.17	25.42
	50	14.583	34.19	25.44	50	14.581	34.17	25.42
	60	14.551	34.19	25.44	60	14.670	34.17	25.+2
	70	1 4. 595	34.17	25.44	70	14.513	34.15	25.43
	30	14.314	34.13	25.47	30	14.285	34.13	25.45
	90	14.229	34.15	25.51	90	14.167	34.11	25.48
	199	13.058	34.13	25.73	100	13.457	34.15	25.66
	120	11.799	34.14	25.98	120	11.993	34.15	25.36
	140	11.533	34.15	26.04	140	11.573	34.13	25.01
	150	11.311	34.17	26.09	160	11.312	34.15 -	25.18
	190	11.199	34.20	26.14	130	11.225	34.19	26.13
	200	10.879	34.20	25.19	200	10.964	34.13	25.19
	214	10.679	34.13	26.22	216	10.620	34.17	26.22

STATION NUMBER 102

9							
			LAT. 35102				LAT. 35:02
57421	114E 0 35	5 901104	114E 1942	21161	TI 4E 115	BOTTOM	TIME 1204
05014	TE4P	SALINITY	SIGM4-T	ЭЕРТН	TEMP	SALINITY	SIGMA-T
,	14.567	34.11	25.43	0	14.730	34.15	25.42
10	14,565	34.19	25.43	10	14.685	34.19	25.43
5.1	14.569	34.19	25.43	20	14.658	34.13	25.44
30	14.669	34.19	25.43	30	14.660	34.13	25.43
•0	14.654	34.17	253	40	14.660	34.13	25.43
50	14.564	34.17	25.43	50	14.661	34.19	25.43
50	14.655	34.17	25.42	60	14.621	34.17	25.43
7.0	14.255	34.17	25.46	70	14.466	34.13	25.44
90	13.925	34.13	25.55	90	14.219	34.12	25.48
39	12.561	34.37	25.76	90	13.584	34.13	25.62
100	12.024	34.15	25.97	100	12.256	303	25.35
120	11.957	34.22	25.13	120	11.970	34.22	25.01
140	11.473	34.19	25.07	140	11.439	34.15	25.06
160	11.208	34.19	25.12	160	11.371	34.23	26.11
190	11.070	34.21	25.17	180	11.146	34.21	26.15
500	17.771	34.17	26.21	200	10.951	34.21	25.19
279	10.392	34.15	26.25	205	11.934	14.23	25.20
2.0	11.754	14.21	26.29				

STATION NUMBER 105

CATE 02/3	3/74 LO	NG. 155 114	LAT. 35102	CATE 02/0	9/74 LO	NG. 15511	4 LAT. 35:02
START	TI 4E 141	6 801104	TIME 1429	START	TI 4E 162	8 807704	TIME 1643
75014	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
,	14.903	34.19	25.41	,	14.718	34.19	25.43
17	14.720	34.19	25.43	10	14.709	34.13	25.43
23	14.545	34.19	25.44	20	14.660	34.19	25.44
30	14.624	34.19	25.44	30	14.625	34.19	25.44
40	14.619	34.15	25.44	40	14.604	34.15	25.45
50	14.517	34.15	25.44	50	14.600	34.15	25.45
50	14.512	34.15	25.44	60	14.593	34.19	25.45
70	14.571	34.17	25.45	70	14.591	34.19	25.45
10	14.131	34.10	25.49	90	14.549	34.17	25.45
90	13.636	34.27	25.57	90	14.1.0	34.12	25.50
100	12.557	34.13	25.30	100	13.024	34.09	25.70
120	12.000	34.22	26.10	120	12.048	34.21	25.99
140	11.472	34.15	25.05	140	11.630	34.19	26.05
160	11.458	34.22	26.10	160	11.686	34.25	26.10
180	11.478	34.25	25.13	180	11.601	34.29	26.13
200	11.118	34.23	25.17	200	11.167	34.23	25.16
205	11.050	34.23	26.18	208	11.033	34.24	25.19

STATION NUMBER 106

	TIME 150		TIME 1821			NG. 155114	
314-1	11-6 150	8 30110-	114E 1051	21741	11 -E 500	7 80TTO	114E 3053
DEDTH	TEMP	SALINITY	SIGM4-T	DEPTH	TEMP	SALINITY	SIGMA-T
0	14.595	34.19	25.43)	14.661	34.20	25.45
10	14.699	34.13	25.43	10	14.669	14.20	25.44
20	14.583	34.19	25.43	20	14.673	34.23	25.44
37	14.526	34.19	25.44	30	14.646	34.20	25.45
47	14.517	34.15	25.44	40	14.635	34.23	25 5
50	14.620	34.19	25.+4	50	14.634	34.23	25.45
53	14.614	34.15	25.45	60	14.603	34.19	25.45
70	14.600	34.19	25.45	70	14.121	34.12	25.50
10	14.404	34.16	25.46	10	13.610	34.15	25.56
33	13.870	34.10	25.54	90	12. 993	34.39	25.73
193	12.634	34.12	25.10	190	12.315	34.19	25.92
120	12-194	34.24	25.45	121	12.156	34.29	26.12
1+0	11.943	34.24	26.35	140	11.777	34.25	26.19
160	11.747	34.27	26.09	169	11.637	34.30	26.13
140	11.567	34.29	26.12	190	11.326	34.27	25.17
500	11.327	34.25	25.16	200	10.372	34.25	26.21
212	11.299	34.25	26.16	205	10.928	34.23	26.23

STATION NUMBER 109

DATE 32/	04/74 LC	NG. 155114	LAT. 35102	7ATE 92/0	8/74 LO	NG. 15511	LAT. 35102
	TI 4E 222		114E 2244		11 ME 235		114E 0012
25014	TEMP	SALINITY	SIGMA-T	25014	TEMP	SALINITY	SIGHA-T
0	14.648	34.23	25.45	0	14.639	34.22	25.47
10	14.657	34.20	25.45	10	14.544	34.22	25.47
20	14.656	34.23	25.45	20	14.541	34.22	25.47
30	14.626	34.20	25.45	30	14.527	34.22	25.47
40	14.512	34.23	25.46	40	14.618	34.21	25.47
50	14.620	34.20	25.46	50	14.512	34.21	25.47
50	14.534	34.19	25.47	60	14.599	34.21	25.47
70	14.275	34.16	25.50	70	14.455	34.24	25.51
50	13.916	34.14	25.56	10	14.097	34.19	25.55
90	13.504	34.07	25.59	90	13.346	34.93	25.63
100	12.922	34.13	25.76	100	12.625	34.15	25.94
120	12.122	34.24	25.39	120	12.019	34.23	26.11
140	11.595	34.21	26.18	140	11.558	34.21	25.08
150	11.468	34.23	25.11	150	11.662	34.30	25.13
1.0	11.579	34.31	25.15	130	11.347	34.27	26.16
200	11.102	34.25	26.20	200	11.366	34.27	26.21
211	11.996	34.25	26.22	295	11.041	34.28	26.22

STATION NUMBER 110

17E 12/0	9/74 LO	NG. 155114	LAT. 35:01	DATE 02/0	9/74 LO	NG. 155114	LAT. 35101
START	11.E 055	8 BOTTOM	TIME 0246	START	TIME 053	901104	TI4E 0554
75014	TE 40	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
٥	14.555	34.23	25.47	1	14.096	34.20	25.44
13	14.651	34.23	25.47	11	14.588	34.20	25.44
23	14.555	34.23	25.47	20	14.688	34.20	25.44
30	14.657	34.25	25.47	30	14.690	34.20	25.44
40	14.655	34.23	25.47	40	14.691	34.20	25.44
51	14.656	34.23	25.47	50	14.683	34.21	25. +4
50	14.506	34.20	25.48	53	14.565	34.19	25.44
73	14.338	34.19	25.50	70	14.272	34.12	25.47
90	14.514	34.29	25.54	90	14.292	34.15	25.50
90	13.794	34.22	25.65	90	13.564	34.12	25.62
100	12.587	34.13	25.31	100	12.214	34.17	25.92
120	11.758	34.19	25.02	120	11.937	34.22	26.02
140	11.579	34.21	26.07	140	11.795	34.22	26.06
160	11.336	34.22	25.12	160	11.400	34.19	25.08
150	11.330	34.29	25.17	190	11.388	34.25	25.15
200	11.083	34.29	25.23	500	11.047	34.25	25.20
220	10.700	34.25	25.25	219	11.029	14.25	25.21
243	10.391	34.24	25.31				
250	13.150	34.22	25.33				

STATION NUMBER

	19/74 LO		TIME 0827	START	9/74 LO TIME 100		TIME 1024
H703C	TEMP	SALINITY	SIGHA-T	DEPTH	TEMP	SALINI"	SIGM4-T
0	14.680	34.17	25 . 42	1	14.703	34.15	25.42
17	14.688	34.17	25.42	10	14.684	34.15	25.43
20	14.584	34.17	25.42	50	14.681	34.18	25.+3
30	14.682	34.17	25.42	30	14.575	34.19	25.43
40	14.684	34.17	25.42	40	14.671	34.17	25.43
50	14.689	34.17	25.42	50	14.583	34.13	25.43
50	14.678	34.17	25.42	60	14.659	34.17	25.43
70	14.342	34.10	25.44	70	14.253	34.10	25.46
30	14.237	34.09	25.46	50	14.244	34.14	25.49
90	14.126	34.15	25.52	90	13.413	34.12	25.65
100	12.650	34.14	25.12	100	12.495	34.17	25.37
120	12.212	54.23	25.97	120	11.713	34.13	25.99
140	11.634	34.19	25.05	140	11.798	34.21	25.14
150	11.754	34.27	25.39	160	11.742	34.29	26.11
190	11.524	34.25	25.13	190	11.521	34.29	25.15
200	11.779	34.23	26.18	200	11.177	34.25	26.19
217	11.992	34.23	26.20	219	10.733	34.22	26.24

STATION NUMBER 114

11E 12/1	9/74 10	NG. 155114	LAT. 35101	DATE DEVO	9/74 LO	NG. 1551 .	LAT. 35101
	714E 142		TIME 1435		114E 163	8 30TTC-	TI4E 1654
15014	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITA	SIGNA-T
,	14.754	34.19	25.41	0	14.751	34.19	25.41
10	14.734	34.13	25.43	10	14.756	34.13	25.42
30	14.713	34.19	25.43	20	14.721	34.19	25.43
50	14.715	34.19	25.43	30	14.720	34.17	25.43
40	14.716	34.13	25.+3	40	14.721	34.19	25.43
50	14.715	34.13	25.43	50	14.715	34.19	25.43
50	1 714	34.19	25.43	60	14.717	34.19	25.43
73	14.273	34.11	25.47	70	14.599	34.15	25.43
40	14.012	34.14	25.54	10	14.325	34.1.	25.47
90	12.925	34.17	25.50	90	14.018	34.13	25.53
100	11.819	34.12	25.36	100	13.052	34.11	25.71
120	11.549	34.17	26.03	120	11.645	34.12	25.39
140	11.771	34.25	26.97	140	11.913	34.25	26.15
160	11.722	34.29	25.11	160	11.793	34.25	26.19
190	11.564	34.31	26.16	190	11.572	34.29	26.13
200	11.219	34.27	26.19	200	11.297	34.25	26.16
214	11.113	34.25	26.20	220	11.001	34.23	26.20
				226	10.464	34.23	26.22

STATION NUMBER 117

-ATE 12/	19/74 LO	NG. 155114	LAT. 35:01	DATE 12/1	9/74 10	NG. 15511	LAT. 35101
	TIME 191		TIME 1930		TIME 220		TIME 2218
2E 0 TH	TE 4P	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGNA-T
0	14.755	34.20	25.42	0	14.741	34.21	25.44
10	14.741	34.20	25.43	10	14.726	34.21	25.44
20	14.723	34.23	25.44	20	14.717	34.21	25.45
30	14.716	34.20	25.44	30	14.719	34.21	25.45
40	14.715	34.20	25.44	40	14.715	34.21	25.45
50	14.714	34.29	25.44	50	14.711	34.21	25.45
50	14.714	34.20	25.44	60	14.702	34.21	25.45
70	14.703	34.20	25.44	70	14.520	34.19	25.47
90	14.477	34.19	25.48	90	14.123	34.15	25.52
90	14.124	34.14	25.51	90	13.590	34.11	25.61
100	13.707	34.14	25.50	100	12.722	34.15	25.31
120	11.473	34.13	25.95	120	11.703	34.17	25.12
140	11.796	34.20	26.13	140	12.017	34.32	25.18
163	11.975	34.29	26.18	160	11.795	34.31	25.11
190	11.712	34.31	25.12	190	11.579	34.34	26.15
200	11.468	34.30	26.17	200	11.400	34.31	25.19
223	11.069	34.26	25.20	217	10.918	34.27	26.24
224	11 065	21. 25	26 22				

STATION MUMBER 119

			LAT. 34159				LAT. 341
21441	TI "E 014	2 901104	TIME 0156	START	TIME 044	0 30TTOM	TIME 1455
JEOTH	TEMP	SALINITY	SIGHA-T	06914	TEMP	SALIVITY	SIGMA-T
0	14.719	34.15	25.42	0	14.597	34.15	25.49
13	14.721	34.19	25.42	10	14.711	34.16	25.41
27	14.715	34.19	25.43	20	14.714	34.15	25.41
30	14.734	34.13	25.43	30	14.729	34.15	25. +1
40	14.704	34.19	25.43	40	14.704	34.15	25.41
50	14.702	34.13	25.43	50	14.599	34.15	25.41
63	14.592	34.19	25.43	60	14.771	34.15	25.41
70	1 300	34.13	25.47	70	14.674	34.15	25.41
10	14.121	34.14	25.52	90	14.314	34.13	25.47
90	13.270	34.11	25.67	90	13.857	34.09	25.52
100	12.229	34.13	25.19	100	12.799	34.15	25.10
120	11.742	34.16	26.01	120	11.634	34.09	25.37
140	11.767	34.30	26.11	140	11.446	54.14	25.04
160	11.712	34.29	26.11	160	11.724	34.25	26.09
140	11.627	34.31	26.15	190	11.435	34.27	25.14
200	11.760	34.25	26.17	194	11.386	34.27	26.16
215	11.225	34.29	25.19				

STATION NUMBER :21

	0/74 LO		LAT. 34159 TIME 0705		0/74 LO TIME 094		TIME 1004
DEDTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINI ".	SIGHA-T
0	14.593	34.17	25.42	,	14.700	34.19	25.43
10	14.596	34.17	25.42	10	14.590	34.13	25.43
20	14.705	34.15	25.42	20	14.694	34.13	25.44
30	14.705	34.15	25. +2	30	14.597	34.19	25.43
40	14.706	34.19	25.42	40	14.700	34.19	25.44
50	14.703	34.19	25.42	50	14.700	34.19	25.43
50	14.701	34.19	25.42	50	14.693	34.13	25.43
70	14.541	34.17	25.+3	70	14.343	34.12	25.45
10	13.954	34.07	25.50	90	13.757	34.04	25.51
90	13.713	34.05	25.53	90	13.554	34.13	25.55
100	13.222	34.09	25.66	100	13.327	34.04	25.60
120	11.714	34.11	25.97	120	11.670	34.10	25.38
140	11.506	34.17	25.04	140	11.924	34.24	25.03
160	11.921	34.29	26.37	150	11.753	34.29	26.19
190	11.721	34.29	26.11	190	11.699	34.32	25.13
270	11.602	34.31	25.15	200	11.590	34.33	25.17
279	11.348	34.25	26.17	206	11.442	34.31	26.17

STATION NUMBER 122

	TIME 121	5 901104	TIME 1232	START	TIME 141	NG. 1551	TIME 14
15014	TE MP	SALINITY	SIGMA-T	DEPTH	1540	SALINI*.	SIGHA-
1	1 774	34.19	25.41	0	14.777	34.15	25.41
10	14.729	34.19	25.42	10	14.703	34.19	25.43
23	14.686	34.13	25.43	20	14.691	34.19	25.43
33	14.577	34.19	25.44	30	14.577	34.13	25.43
40	14.669	34.19	25.44	40	14.555	34.13	25.44
57	14.647	34.15	25.44	50	14.551	34.17	25.44
60	14.621	34.15	25.44	60	14.296	34.11	25.46
73	14.185	34.39	25.46	70	13.943	34.24	25.50
90	13.792	34.04	25.51	90	13.665	34.94	25.53
97	13.581	34.04	25.55	90	13.531	34.04	25.56
199	12.978	34.12	25.74	170	13.202	34.05	25.65
129	11.945	34.20	25.00	120	11.910	34.14	25.96
140	11.939	34.25	25.05	140	12.006	34.25	25.03
160	11.617	34.24	26.09	160	11.512	34.23	25.10
190	11.688	34.30	25.12	190	11.146	34.19	26.13
200	11.558	34.32	25.16	200	11.132	34.27	25.15
209	11.390	34.29	26.17	221	11.269	34.23	26.19
				224	11.122	34.25	26.19

STATION NUMBER 125

CATE 02/1	0/74 LO	NG. 155114	LAT. 34159	CATE 02/1	0/74 L	ONG. 15511	LAT. 34159
START	TIME 150	1 807704	TIME 1615		TIME 15:		TIME 1832
DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMO	SALINITY	SIGHA-T
3	14.947	34.15	25.37	•	14.938	34.18	25.40
13	14.706	34.15	25.42	19	14.824	34.15	25.40
23	14.676	34.15	25.43	20	14.693	34.15	25.43
*0	14.643	34.15	25.44	30	14.644	34.15	25.44
40	14.516	34.15	25.44	40	14.618	34.15	25.44
50	14.564	34.15	25.44	50	14.694	34.15	25.44
60	13.472	34.04	25.49	60	14.336	34.10	25.44
70	13.702	34.03	25.52	71	13.754	34.03	25.51
30	13.596	34.03	25.54	30	13.575	34.03	25.54
90	13.520	34.04	25.56	90	13.531	34.03	25.55
100	13.414	34.14	25.58	100	13.429	34.04	25.58
120	11.930	34.15	25.36	120	12.130	34.22	25.98
140	11.972	34.24	25.33	140	11.505	34.15	26.05
150	11.109	34.12	26.19	150	11.064	34.12	25.10
110	10.940	34.11	26.12	180	10.985	34.11	26.13
200	11.313	34.24	26.15	200	11.267	34.25	25.17
293	11.155	34.22	26.16	203	11.262		25.19

STATION NUMBER 126

and the contract of the contract of the	TI 4E 204		TIME 2056		114E 235		TIME 1005
DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
1	14.997	34.15	25.36	0	14.881	34.15	25.37
10	14.322	34.13	25.40	10	14.733	34.17	25.41
27	14.552	34.15	25.43	20	14.671	34.17	25.42
30	14.543	34.18	25. +4	30	14.632	34.15	25.43
40	1 + . 624	34.19	25.44	40	14.615	34.15	25.43
50	14.500	34.15	25.45	50	14.511	34.15	25.43
67	13.972	34.05	25.48	50	14.422	34.11	25.43
73	13.535	34.32	25.53	70	13.696	34.33	25.50
90	13.585	34.04	25.55	10	13.506	34.01	25.52
30	17.444	34.14	25.57	90	13.545	34.02	25.54
100	12.950	34.10	25.73	100	13.099	34.09	25.58
120	12.085	34.25	26.01	120	12.054	34.23	26.30
140	11.369	34.15	26.08	140	11.475	34.13	26.03
150	11.009	34.11	25.10	160	11.193	34.11	25.07
190	11.909	34.12	26.13	140	10.998	34.19	25.09
200	11.244	34.27	26.18	200	10.882	34.09	26.11
201	11.252	34.27	26.18	215	11.092	34.17	25.13

STATION NUMBER 129 (REDIGITIZES)

	1/74 LO		TIME 1202		1/74 LO	NG. 155114	TIME 0402
HTESC	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
0	14.917	34.14	25.37	0	14.724	34.1*	25.38
10	14.737	34.15	25.39	10	14.721	34.15	25.40
21	14.557	34.1.	25.40	50	14.695	34.17	25.41
37	14.655	34.14	25.40	30	14.684	34.17	25 . +2
40	14.540	34.14	25.40	40	14.653	34.15	25.42
50	14.622	34.14	25.41	50	14.503	34.15	25.42
50	14.587	34.12	25.41	50	14.573	34.15	25.43
79	13.763	33.99	25.47	70	14.292	34.07	25.44
90	13.637	33.99	25.49	90	13.706	34.09	25.49
99	13.541	33.99	25.52	90	13.545	34.00	25.53
170	12.852	34.05	25.70	100	13.368	34.03	25.59
120	11.976	34.20	25.99	120	11.496	34.20	26.01
140	11.400	34.10	26.02	140	11.406	34.12	26.04
160	11.113	34.07	26.05	160	11.134	34.10	26.37
190	17. 966	34.05	26.08	190	10.388	34.05	26.09
200	10.965	34.09	26.11	500	10.410	34.07	25.11
205	11.035	34.15	26.13	220	19.979	34.11	26.11
				240	11.061	34.25	26.21
				260	10.756	34.23	25.24
				230	10.224	34.19	26.30

STATION NUMBER 170

Date 02/11/74 Long. 155114 Lat. 34156 Start Time 0543 90TTOM TIME 0610 Start Time 0751 80TTOM TIME 0808		(==0	101/12201		, (REDIGITIZED)					
START TIME 0543 90TION TIME 1610 START TIME 0751 BOTTOM TIME 0808 DEPTH TEMP SALINITY SIGMA-T 0 14.711 34.15 25.40 0 14.736 34.17 25.42 10 14.733 34.15 25.40 10 14.715 34.17 25.42 20 14.736 34.17 25.42 20 14.706 34.17 25.42 30 14.695 34.17 25.42 30 14.683 34.13 25.42 40 14.695 34.17 25.42 30 14.683 34.13 25.42 40 14.695 34.17 25.42 40 14.674 34.13 25.42 40 14.694 34.15 25.42 40 14.674 34.13 25.42 50 14.644 34.15 25.42 50 14.674 34.13 25.42 60 14.557 34.15 25.43 60 14.574 34.15 25.43 <th>DATE 02/1</th> <th>1/74 LO</th> <th>NG. 155114</th> <th>LAT. 34156</th> <th>DATE 02/1</th> <th>1/74 LO</th> <th>NG. 155114</th> <th>LAT. 34156</th>	DATE 02/1	1/74 LO	NG. 155114	LAT. 34156	DATE 02/1	1/74 LO	NG. 155114	LAT. 34156		
0 14.711 34.15 25.40 0 14.736 34.15 25.42 10 14.733 34.15 25.40 10 14.715 34.17 25.42 20 14.736 34.17 25.42 20 14.706 34.17 25.42 30 14.595 34.17 25.42 30 14.683 34.19 25.42 40 14.644 34.16 25.42 40 14.674 34.19 25.43 50 14.644 34.15 25.42 50 14.674 34.19 25.43 60 14.567 34.15 25.43 60 14.585 34.15 25.43 70 14.321 34.11 25.45 70 14.260 34.10 25.46 90 13.734 34.01 25.49 30 13.735 34.02 25.50 100 13.465 34.00 25.53 90 13.540 34.01 25.52 100 13.465 34.02 25.59 100 13.540 34.01 25.52 1	START	TIME 054	3 30TTOM	TIME 3610	START	START TIME 0751 BOTTOM TIME 0808				
10 14.733 34.15 25.40 10 14.715 34.17 25.42 20 14.736 34.17 25.41 20 14.706 34.17 25.42 30 14.695 34.17 25.42 30 14.683 34.13 25.42 40 14.684 34.17 25.42 40 14.674 34.13 25.43 50 14.644 34.16 25.42 50 14.674 34.13 25.43 60 14.567 34.15 25.43 60 14.585 34.15 25.43 70 14.321 34.11 25.45 70 14.260 34.10 25.46 90 13.734 34.01 25.49 50 13.735 34.02 25.50 90 13.557 34.00 25.53 90 13.642 34.01 25.52 100 13.485 74.02 25.56 100 13.540 34.01 25.52 120 12.114 34.24 25.99 120 12.377 34.23 25.94 <t< td=""><td>95014</td><td>1E4P</td><td>SALINITY</td><td>SIGHA-T</td><td>DEPTH</td><td>TEMP</td><td>SALINITY</td><td>SIGMA-T</td></t<>	95014	1E4P	SALINITY	SIGHA-T	DEPTH	TEMP	SALINITY	SIGMA-T		
10 14.733 34.15 25.40 10 14.715 34.17 25.42 20 14.736 34.17 25.42 20 14.706 34.17 25.42 30 14.695 34.17 25.42 30 14.683 34.13 25.42 40 14.684 34.17 25.42 40 14.674 34.13 25.42 50 14.684 34.16 25.42 50 14.674 34.13 25.43 60 14.567 34.15 25.43 60 14.595 34.15 25.43 70 14.321 34.11 25.45 70 14.260 34.10 25.46 10 13.734 34.01 25.49 50 13.735 34.02 25.50 10 13.557 34.00 25.53 90 13.642 34.01 25.52 10 13.485 34.01 25.52 34.01 25.52 10 13.485 34.02 25.50 100 13.540 34.01 25.52 120 12.114	0	14.711	34.15	25.40	0	14.736	34.15	25.42		
30 14.595 34.17 25.42 30 14.683 34.19 25.42 40 14.664 34.17 25.42 40 14.674 34.13 25.43 50 14.644 34.15 25.42 50 14.674 34.13 25.43 60 14.567 34.15 25.43 60 14.585 34.15 25.44 70 14.321 34.11 25.45 70 14.260 34.10 25.46 90 13.734 34.01 25.49 30 13.735 34.02 25.50 90 13.657 34.00 25.53 90 13.642 34.01 25.52 100 13.485 34.02 25.56 100 13.540 34.01 25.52 101 12.114 34.24 25.99 120 12.377 34.23 25.94 140 11.483 34.12 26.02 140 11.494 34.11 26.09 140 11.236 34.11 26.06 160 11.079 34.11 26.09 140 10.937 34.05 26.08 180 10.867 34.09 25.11 200 10.937 34.05 26.10 200 10.766 34.07 25.12 201 10.931 34.10 26.13	10	14.733	34.15	25.40	10	14.715	34.17			
40 14.684 54.17 25.42 40 14.674 34.13 25.43 50 14.644 34.16 25.42 50 14.674 34.19 25.43 60 14.567 34.15 25.43 60 14.585 34.16 25.44 70 14.321 34.11 25.45 70 14.260 34.10 25.46 10 13.734 34.01 25.49 30 13.735 34.02 25.50 90 13.557 34.00 25.53 90 13.642 34.01 25.52 100 13.485 34.02 25.56 100 13.540 34.01 25.54 129 12.114 34.24 25.39 120 12.377 34.23 25.94 140 11.483 34.12 26.02 140 11.494 34.11 26.02 160 11.236 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.09 25.11 200 10.402 34.06 26.10 200 10.766 34.07 25.12 210 10.801 34.10 26.13 220 10.801 34.11 26.14	20	14.736	34.17	25.41	20	14.706	34.17	25.42		
40 14.684 54.17 25.42 40 14.574 34.13 25.43 50 14.644 34.16 25.42 50 14.674 34.13 25.43 60 14.567 34.15 25.43 60 14.585 34.15 25.44 70 14.321 34.11 25.45 70 14.260 34.10 25.46 90 13.734 34.01 25.49 30 13.735 34.02 25.50 90 13.557 34.00 25.53 90 13.642 34.01 25.52 100 13.485 34.02 25.56 100 13.540 34.01 25.54 120 12.114 34.24 25.99 120 12.377 34.23 25.94 140 11.483 34.12 26.02 140 11.494 34.11 26.02 160 11.236 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.766 34.07 25.12	30	14.595	34.17	25.42	30	14.683	34.19			
50 14.644 34.16 25.42 50 14.674 34.19 25.43 60 14.567 34.15 25.43 60 14.585 34.16 25.44 70 14.321 34.11 25.45 70 14.260 34.10 25.46 90 13.734 34.01 25.49 80 13.735 34.02 25.50 90 13.557 34.00 25.53 90 13.540 34.01 25.52 100 13.485 34.02 25.56 100 13.540 34.01 25.54 129 12.114 34.24 25.39 120 12.377 34.23 25.94 140 11.483 34.12 26.02 140 11.494 34.11 26.02 160 11.235 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.09 25.11 201 10.402 34.06 26.10 200 10.766 34.07 25.12 220 10.631 34.10 26.13 220 10.801 34.11 26.14	40	14.684	54.17	25.42	40	14.574	34.15			
60 14.567 34.15 25.43 60 14.585 34.16 25.44 70 14.321 34.11 25.45 70 14.260 34.10 25.46 10 13.734 34.01 25.49 80 13.735 34.02 25.50 90 13.557 34.00 25.53 90 13.642 34.01 25.52 100 13.465 34.02 25.56 100 13.540 34.01 25.54 120 12.114 34.25 25.99 120 12.377 34.23 25.94 140 11.403 34.12 26.02 140 11.494 34.11 26.02 160 11.235 34.11 26.05 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.09 25.11 200 10.402 34.06 26.10 200 10.766 34.07 25.12 220 10.631 34.10 26.13 220 10.801 34.11 26.14 <td>50</td> <td>14.544</td> <td>34.16</td> <td>25. •2</td> <td>50</td> <td>14.674</td> <td>34.19</td> <td></td>	50	14.544	34.16	25. •2	50	14.674	34.19			
70 14.321 34.11 25.45 70 14.260 34.10 25.46 90 13.734 34.01 25.49 80 13.735 34.02 25.50 90 13.557 34.00 25.53 90 13.642 34.01 25.52 100 13.455 34.02 25.56 100 13.540 34.01 25.52 120 12.114 34.24 25.99 120 12.377 34.23 25.94 140 11.463 34.12 26.02 140 11.494 34.11 26.02 160 11.236 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.09 25.11 200 10.766 34.07 25.12 220 10.601 34.11 26.14	60	14.567	34.15	25.43	60	14.585	34.15			
90 13.734 34.01 25.49 80 13.735 34.02 25.50 90 13.557 34.00 25.53 90 13.642 34.01 25.52 100 13.465 34.02 25.56 100 13.540 34.01 25.54 120 12.114 34.24 25.99 120 12.377 34.23 25.94 140 11.463 34.12 26.02 140 11.494 34.11 26.02 160 11.236 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.09 25.11 201 10.402 34.06 26.10 200 10.766 34.07 26.12 221 10.631 34.10 26.13 220 10.801 34.11 26.14	70	14.321	34.11	25.45	70	14.260	34.10			
90 13.557 34.00 25.53 90 13.642 34.01 25.52 100 13.445 34.02 25.56 100 13.540 34.01 25.54 120 12.114 34.24 25.99 120 12.377 34.23 25.94 140 11.463 34.12 26.02 140 11.494 34.11 26.02 160 11.236 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.08 25.11 200 10.402 34.06 25.10 200 10.766 34.07 25.12 220 10.831 34.10 26.13 220 10.801 34.11 26.14	90	13.734	34.01	25.49	50	13.735	34.02			
100 13.485 34.02 25.56 100 13.540 34.01 25.54 120 12.114 34.24 25.99 120 12.377 34.23 25.94 140 11.483 34.12 26.02 140 11.494 34.11 26.02 160 11.235 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.09 25.11 200 10.402 34.06 25.10 200 10.766 34.07 25.12 220 10.831 34.10 26.13 220 10.801 34.11 26.14	90	13.557	34.00	25.53	90	13.642	34.01			
140 11.483 34.12 26.02 140 11.494 34.11 26.02 160 11.236 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.09 25.11 201 10.302 34.06 26.10 200 10.766 34.07 25.12 221 10.831 34.10 26.13 220 10.801 34.11 26.14	100	13.455	34.02	25.56	100	13.540	34.01			
140 11.483 34.12 26.02 140 11.494 34.11 26.02 160 11.236 34.11 26.06 160 11.079 34.11 26.09 130 10.937 34.05 26.08 180 10.867 34.08 25.11 201 10.402 34.06 25.10 200 10.766 34.07 25.12 221 10.631 34.10 26.13 220 10.601 34.11 26.14	120	12.114	34.24	25.39	120	12.377	34.23	25.94		
130 10.937 34.05 26.08 180 10.867 34.09 25.11 200 10.902 34.06 25.10 200 10.766 34.07 25.12 220 10.831 34.10 26.13 220 10.801 34.11 26.14	140	11.483	34.12	26.02	140	11.494	34.11	26.02		
200 10.402 34.06 25.10 200 10.766 34.17 25.12 220 10.631 34.10 26.13 220 10.601 34.11 26.14	160	11.236	34.11	26.06	160	11.079	34.11	26.09		
200 10.766 34.07 25.12 220 10.631 34.10 26.13 220 10.601 34.11 26.14	110	10.937	34.05	26.38	180	19.867	34.05	25.11		
229 19.631 34.19 26.13 220 19.601 34.11 26.14	200	10.902	34.06	25.10	200	10.766	34.37			
	229	19.531	34.10	26.13	550	10.801	34.11			
	233	11.133	34.22	25.17	236	11.175	34.25	25.19		

CREDIGITIZED)

STATION NUMBER 133

CATE	12/1	1/74	LONG.	155114	LAT	. 34156
5	TART	TIME	1955	BOTTON	TIME	1011

CULE JSVI	1/74 60	NG. 155114	LAT. 341	56
START	TI . 115	6 90TTOM	TIME 1212	
760fH	TEMP	SALINITY	SIGMA-T	
0	14.791	34.17	25.40	
	1 . 754	24 12	25 4.2	

DEPTH	TEMP	SALINITY	SIGHA-T	
0	14.723	34.17	25.42	
10	14.707	34.13	25.42	
20	14.700	34.15	25.43	
30	14.554	34.19	25.43	
49	14.684	34.15	25.43	
50	14.652	34.18	25.44	
60	14.520	34.17	25.45	
70	13.890	34.79	25.52	
90	13.629	34.03	25.53	
90	13.520	34.02	25.55	
100	12.477	34.15	25.55	
120	11.643	34.22	26.07	
140	11.208	34.15	26.10	
160	10.944	34.11	26.11	
190	10.426	34.19	26.12	
233	10.745	34.11	25.14	
221	11.029	34.29	26.23	
223	11.018	34.27	25.22	

34.29 34.20 34.20 34.20 14.751 25.43 25.43 25.44 20 14.717 30 40 50 14.681 34.19 25.44 25.44 25.47 25.51 25.54 25.56 50 14.629 34.13 34.14 13.684 13.574 13.515 12.227 90 34.02 34.02 34.04 100 120 25.94 11.976 34.21 25.02 140 160 26.19 34.11 10.910 190 26.12 10.875 200 26.14 220 34.31 26.21 11.055 231 34.31 25.25

STATION NUMBER 114

STATION NUMBER 135 (REDIGITIZED)

CATE	12/1	1/74	LONG.	155114	LAT.	34156
5	TPAT	TIME	1403	POTTOR	TIME 1	420

CATE	12/1	11/74	LONG.	155 114	LAT.	34156
				BOTTOM		

DEPTH	TEMP	SALINITY	SICHA-1
0	14.557	34.15	25.37
10	14.778	34.20	25.42
23	14.731	34.21	25.43
30	14.705	34.23	25.44
•0	14.703	34.20	25.44
50	14.682	34.20	25.45
50	14.317	34.12	25.46
70	13.550	34.02	25.52
10	13.547	34.03	25.55
90	13.511	34.04	25.36
110	13.153	34.10	25.58
120	12.020	34.14	25.37
140	11.669	34.15	25.12
160	11.363	34.15	25.19
199	19.932	34.12	25.12
230	12.354	34.12	25.14
220	11.315	34.30	25.20
230	11.237	34.30	26.21

)	EPTH	TEMP	SALINITY	SIGMA-T
	3	14.358	34.17	25.39
	10	14.759	34.19	25.42
	23	14.721	34.13	25.43
	30	14.700	34.19	253
	40	14.609	34.21	25.46
	50	13.431	34.05	25.51
	50	13.554	34.02	25.54
	79	13.507	34.33	25.56
	10	13.469	34.03	25.57
	90	13.151	34.05	25.65
	110	12.223	34.04	25.12
	120	11.634	34.15	26.13
	140	11.567	34.22	25.38
	160	11.023	34.11	25.10
	190	11.071	34.15	25.12
	200	11.337	34.30	26.19
	212	11.084	34.30	26.23

STATION NUMBER 137

100,000	TIME 192		TIME 1838		TIME 203	NG. 155114	TIME 205
EPTH	TEMP	SALINITY	SIGMA-T	JEPTH	TE MP	SALINITY	SIGMA-
0	14.508	34.13	25.36	0	14.591	34.19	25.39
10	14.750	34.21	25.43	10	14.775	34.17	25.42
20	14.711	34.21	25.44	20	14.711	34.19	25.43
30	14.696	34.21	25.45	30	14.705	34.20	25.44
47	14.623	34.21	25.46	40	14.700	34.21	25.44
50	14.159	34.13	25.50	50	14.527	34.17	25.45
50	13.711	34.05	25.54	50	14.077	34.05	25.48
70	13.564	34.05	25.56	70	13.737	34.0+	25.52
10	13.479	34.05	25.58	10	13.580	34.03	25.54
90	13.361	34.09	25.64	90	13.494	34.03	25.57
130	12.632	34.15	25.33	100	13.458	34.05	25.59
120	11.752	34.15	26.12	120	12.266	34.22	25.95
140	11.648	34.21	26.06	143	11.703	34.17	25.02
160	11.225	34.19	26.11	160	11.657	34.23	25.29
140	13.459	34.13	25.14	180	11.156	34.15	25.10
200	11.392	34.32	26.19	200	10.899	34.12	25.13
213	11.309	34.32	25.21	220	11.380	34.31	25.19
				240	11.041	34.23	25.23
				250	17.663	34.27	25.29
				272	10.430	34.24	26.31

STATION NUMBER 139

	,,,,,				1-60	101112:01	
11St 374	1/74 4	NG. 155114	LAT. 34156	04TE 02/1	2/74 LO	NG. 15511	1 LAT. 34157
START	114E 530	11 907704	114E 5316				TT 4E 0109
95014	TE MA	SALINITY	SISMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
1	14.916	34.15	25.40	0	14.701	34.15	25.42
10	14.749	34.29	25.43	10	14.721	34.19	25.43
29	14.721	34.19	25.43	20	14.732	34.20	25.43
30	14.716	34.20	25.44	30	14.700	34.19	25.44
40	14.660	34.21	25.45	40	14.690	34.21	25.44
50	14.471	34.15	25.46	50	14.581	34.17	25.45
50	14.291	34.13	25.47	60	14.537	34.17	25.45
73	13.723	34.02	25.50	70	14.473	34.19	25.47
10	13.550	14.02	25.54	50	13.627	34.00	25.51
90	13.505	34.02	25.55	90	13.502	34.01	25.55
133	13.466	34.05	25.50	100	13.490	34.02	25.56
120	12.071	34.20	25.98	129	12.275	34.27	25.99
149	11.602	34.10	25.05	140	11.694	34.17	
160	11.250	74.13	26.07	160	11.280		26.03
190	10.945	34.19	26.11	180		34.14	26.17
200	10.875	34.11	26.12	194	10.987	34-11	26.11
202	10.555	34.13	26.15	194	10.559	34.09	26.11
202	100000	34.13	20.17				

STATION NUMBER 141

24TE 32/1	2/74 60	NG. 155111	LAT. 34157	74TE 02/1	2/74 60	NG. 155111	LAT. 34157
START	TIME 030	A BOTTOM	TIME 0322	START	TIME 051		TIME 0528
HTHE	TEMP	SALINITY	SIGHA-T	DEPTH	TEMP	SALINITY	SIGMA-T
,	14.775	34.13	25.43	,	14.711	34.19	25.43
10	14.742	34.20	25.43	10	14.719	34.19	25.43
20	14.729	34.21	25.44	20	14.705	34.19	25.43
30	14.549	34.29	25.45	30	14.628	34.19	25.45
40	14.529	34.20	25.45	40	14.589	34.19	25.46
50	14.507	34.19	25.46	50	14.569	34.19	25.46
50	14.454	34.13	25.43	60	14.231	34.10	25.46
70	13.631	34.02	25.52	73	13.664	34.02	25.52
11	13.520	34.0%	25.56	50	13.522	34.03	25.56
90	13.195	34.05	25.65	90	13.444	34.05	25.59
100	12.157	34.13	25.91	170	12.104	34.15	25.94
120	11.737	34.15	26.31	120	11.747	34.14	26.02
140	11.408	34.16	26.07	140	11.329	34.15	26.08
160	11.059	34.11	26.19	160	11.050	34.12	26.10
190	19.476	34.19	26.12	190	10.840	34.11	25.13
200	10.792	34.12	26.14	200	10.911	34.11	25.14
205	11.796	34.14	26.16	220	11.068	34.24	26.19
				240	10.817	34.29	26.27
				241	10.806	34.29	25.27

STATION NUMBER 142

The second second	The state of the s		LAT. 34157	DATE 02/1	2/74 LO	NG. 155111	LAT. 34
51491	TI 4E 071	5 307704	114E 0730	START	TIME 391	9 301104	114E 045E
15014	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGHA-T
1	14.700	34.19	25.43	0	14.695	34.19	25.43
17	14.702	34.19	25.43	10	14.699	34.13	25.43
20	14.702	34.13	25.43	20	14.679	34.19	25.43
30	14.576	34.19	25.44	30	14.603	34.19	25.45
41	14.557	34.15	25.46	40	14.491	34.15	25.45
50	14.405	34.1%	25.46	50	14.396	34.14	25.46
50	1 4. 400	34.15	25.46	50	14.193	34.10	25.47
70	13.992	54.05	25.46	70	13.610	34.01	25.52
90	13.543	34.03	25.54	80	13.504	34.02	25.55
90	13.524	34.04	25.56	90	13.502	34.03	25.56
110	13.522	34.16	25.58	100	13.489	34.04	25.57
120	12.034	34.22	25.00	120	12.524	34.15	25.95
147	11.546	34.19	26.07	140	12.061	34.25	26.02
150	11.116	34.15	25.12	160	11.469	34.23	26.08
193	11.355	34.12	26.13	180	11.249	34.19	26.11
200	13.379	34.15	25.15	200	11.462	34.30	26.16
229	11.216	34.31	26.22	220	10.962	34.25	25.22
236	10.931	34.23	25.25	225	10.859	34.24	26.23

STATION NUMBER 145

CAT	E 02/1	2/74 LO	NG. 155111	LAT. 34157	CATE 12/1	2/74 L	NG. 15511	LAT. 34157
		TIME 113		TIME 1145		TIME 131		TIME 1331
	DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGMA-T
	0	14.733	34.18	25.42	a	14.713	34.15	25.42
	10	14.700	34.19	25.42	10	14.715	34.19	25.42
	20	14.666	34.19	25.43	20	14.673	34.19	25.43
	30	14.595	34.17	25.44	30	14.510	34.15	25.44
	40	14.581	34.17	25.45	40	14.370	34.12	25.45
	50	14.471	34.14	25.44	50	14.272	34.10	25.45
	50	13.771	34.03	25.50	60	14.232	34.13	25.47
	79	13.573	14.01	25.53	71	13.611	34.02	25.53
	30	13.556	34.03	25.55	10	13.566	34.02	25.54
	90	13.544	34.04	25.56	90	13.530	34.0%	25.56
	100	13.442	14.03	25.57	190	13.438	34.03	25.57
	120	12.211	34.15	25.31	120	12.304	34.2?	25.35
	140	12.794	34.24	26.00	140	11.909	34.23	25.13
	160	11.907	34.29	26.08	160	11.917	34.25	26.08
	190	11.545	34.33	26.16	190	11.301	34.19	26.11
	200	11.405	34.32	26.20	200	11.213	34.24	26.17
	207	11.393	34.30	25.18	220	19.971	34.25	26.24
					227	10.762	34.24	25.25

STATION NUMBER 146

CAT= 92	12/74 LO	NG. 155111	LAT. 34157	1ATE 12/1	2/74 10	NG. 153111	LAT. 34157
	TIME 155		TIME 1609		TIME 193		TIME 1850
3591	1 1540	SALINITY	SIGHA-T	H143C	TEMP	SALINITY	SIGMA-T
1	14.567	34.19	25.43	0	14.546	34.19	25.+6
13	14.555	34.18	25. +3	10	14.548	34.19	25.46
20	14.636	34.17	25.43	20	14.540	34.15	25.46
30	14.396	34.13	25.45	30	14.519	34.19	25.46
+0	14.192	34.13	25.47	40	14.444	34.19	25.48
50	14.174	34.13	25.47	50	14.729	14.15	25.49
50	13.996	34.09	25.52	50	14.259	34.15	25.+9
73	13.613	34.74	25.54	71	13.819	34.09	25.54
90	13.564	34.05	25.56	10	13.606	34.05	25.56
90	13.506	34.05	25.58	90	13.571	34.37	25.58
130	12.970	34.10	25.72	100	13.527	34.09	25.50
120	11.733	34.12	25.98	120	12.295	34.13	25.91
140	11.510	34.15	26.04	140	11.676	34.22	25.06
160	11.331	34.17	25.19	160	11.387	34.23	25.10
190	11.172	34.29	26.14	190	11.164	34.21	26.15
210	17.964	34.21	26.19	200	11.137	34.25	26.19
216	19.964	34.27	26.24	291	11.131	34.25	26.19

STATION W. MBER 140

ATE 02/1	2/74 LO	NG. 155111	LAT. 34157	DATE 02/1	3/74 LD	NG. 15510	LAT. 34157
START	TT .E 205	€ 90110 ×	TIME 2105		TIME 004		TIME 3100
DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SELINITY	SIGMA-T
0	14.545	34.17	25.45	0	14.568	34.14	25.42
17	14.553	34.15	25.46	10	14.579	74.15	25.45
27	14.535	34.19	25.46	20	14.574	34.19	25.45
30	14.475	34.17	25.47	30	14,499	34.17	25.46
40	14.416	34.17	25.48	40	14.433	34.17	25.+8
50	14.384	34.19	25.49	50	14.371	3 17	25.49
50	14.145	34.13	25.50	60	13.952	34.10	25.52
77	13.661	34.05	25.56	70	13.649	34.37	25.56
90	13.575	34.07	25.58	90	13.568	34.16	25.57
90	13.535	34.09	25.59	90	13.536	34.07	25.58
130	13.441	34.15	25.66	100	13.192	34.12	25.69
120	11.940	34.15	26.00	120	11.635	34.15	26.02
140	11.476	34.20	25.09	140	11.499	34.19	26.06
160	11.797	34.21	25.13	160	11.310	74.20	25.12
190	11.222	34.25	25.18	180	11.199	34.25	25.18
199	11.113	34.29	26.22	200	11.192	34.30	26.21
				212	11.031	3 31	25.25

STATION NUMBER 150

DATE 32/1	3/74 LO	NG. 155138	LAT. 34157	24TE 02/1	3/74 LO	NG. 1551 7	LAT. 34157
STAPT	TI 4E 024	5 807704	114E 0300	START	TI4E 050		TIME 0516
JEST4	TEMP	SALINITY	SIGMA-T	05914	TEMP	SALINITY	SIGMA-T
,	14.572	34.15	25.45	0	14.559	3 19	25.45
13	14.579	34.19	25.45	10	14.561	34.19	25.45
*0	14.574	34.19	25.45	20	14.562	34.15	25.45
53	14.512	34.17	25.+5	30	14.540	34.17	25.45
•0	14.445	34.15	25.47	40	14.460	34.15	25.48
50	14.412	34.15	25.49	50	14.321	34.15	25.49
50	13.397	34.13	25.51	51	13.913	34.09	25.52
71	13.644	34.35	25.56	71	13.596	34.09	25.56
99	13.596	34.07	25.57	31	13.550	34.07	25.58
90	13.543	34.17	25.55	99	13.545	34.07	25.58
107	13.512	34.09	25.50	100	13.375	34.09	25.64
123	11.436	34.15	25.98	120	11.405	34.15	25.99
140	11.516	34.13	26.15	140	11.539	34.15	26.96
160	11.439	34.20	26.19	160	11.559	34.25	26.11
1*0	11.155	34.22	26.16	190	11.390	34.25	25.14
210	11.249	34.30	26.21	200	11.159	34.27	26.20
274	11.219	34.30	26.22	220	11.189	34.33	25.24
				234	11.062	14. 17	26.25

STATION NUMBER 157

c	1TE 02/1	13/74 LO	NG. 15510	LAT. 34157	24TE 32/1	3/74 40	NG. 155104	LAT. 34157
	START	TIME 071	5 801104	114E 0738	START	TTME 091	9 30***	114E 1938
	DEPTH	1E40	SALINITY	SIGM4-T	DEPTH	TEMP	SALINITY	SIGMA-T
	0	14.544	34.19	25.46)	14.561	34.17	25.+5
	10	14.546	34.19	25.46	10	14.557	34.19	25.46
	20	14.548	34.19	25.+6	29	14.559	34.19	25.46
	30	14.539	34.19	25.46	30	14.531	34.15	25.46
	40	14.445	34.15	25.+8	40	14.415	34.17	25.48
	50	14.249	34.15	25.49	50	14.299	34.15	25.50
	60	13.921	34.10	25.55	50	13.934	34.13	25.55
	79	13.609	34.05	25.57	70	13.680	34.09	25.57
	33	13.569	34.07	25.58	50	13.602	34.05	25.55
	99	13.530	34.09	25.59	90	13.527	34.09	25.59
	100	13.294	34.15	25.70	100	13.501	34.11	25.52
	120	11.632	34.15	26.02	120	11.792	34.15	25.99
	140	11.559	34.21	25.08	140	11.504	34.19	26.07
	160	11.620	34.29	26.13	160	11.299	34.20	26.12
	150	11.411	34.32	25.19	190	11.122	34.22	26.16
	200	10.987	34.25	26.23	200	11.058	\$4.27	26.21
	293	11.043	34.29	25.23	205	11.152	34.30	26.22

STATION NUMBER 154

CATE 02/1	13/74 LUI	NG. 15510	LAT. 34157	CATE 02/1	3/74 LO	NG. 15510	LAT. 34:57
31101	TIME 112	2 807704	TIME 1137	START	TIME 132	0 301104	TIME 1335
25914	TEMP	SALINITY	SIGMA-T	CEPTH	TEMP	SALINITY	SIGMA-T
0	14.605	34.19	25.45	0	14.543	34.15	25.43
10	14.519	34.19	25.44	10	14.624	34.15	25.44
54	14.519	34.19	25.44	20	14.550	34.17	25.45
30	14.501	34.19	25.44	30	14.536	34.17	25.45
40	14.436	34.15	25.46	40	14.456	34.15	25.45
50	14.196	34.10	25.47	50	14.271	34.11	25. +8
50	14.073	34.09	25.49	50	13.470	34.09	25.53
79	13.764	34.07	25.54	77	13.694	34.07	25.35
90	13.590	34.05	25.56	90	11.578	34.05	25.57
90	13.510	34.05	25.57	90	13.457	34.09	25.61
130	13.301	34.09	25.65	100	12.366	34.14	25.17
125	11.497	34.15	25.97	120	11.643	34.15	25.02
140	11.563	54.17	25.15	140	11.578	34.20	26.07
150	11.300	34.17	26.19	160	11.405	34.23	25.12
190	11.125	34.19	26.14	190	11.261	34.25	
200	13.950	34.23	25.21	500	11.033	34.27	25.16
276	13.998	34.27	25.23	203	10.979	34.27	25.22

STATION NUMBER 157

	714E 150		TIME 1527		TIME 195	ONG. 1551 F	TIME 2011
76274	TEMP	SALINITY	SIGMA-T	JEPTH	1540	SALINIT.	SIGNA-T
0	14.597	34.19	25.44	0	14.670	34.19	25.43
10	14.595	34.19	25.44	10	14.672	34.19	25. +3
23	14.599	34.15	25.45	20	14.674	34.19	25.43
30	14.581	34.17	25.45	30	14.675	34.19	25.43
49	14.557	34.17	25.45	40	14.673	34.19	25.43
50	14.536	34.17	25.45	50	14.566	34.19	25.43
50	14.491	34.17	25.46	60	14.637	34.19	25.44
70	14.243	34.15	25.50	70	14.260	34.1.	25.49
40	13.940	34.10	25.53	90	14.045	34.11	25.51
90	13.663	34.07	25.56	90	13.248	54.12	25.68
1 10	13.564	34.12	25.52	100	12.266	34.11	25.37
120	11.431	34.12	25.96	120	12.218	34.25	25.38
149	11.904	34.25	26.15	140	11.759	34.25	25.16
160	11.561	34.23	26.09	160	11.420	34.22	26.11
190	11.263	34.24	25.15	180	11.236	34.21	25.14
200	11.035	34.27	26.22	200	10.954	34.22	25.20
221	10.850	34.24	25.23	220	10.934	34.27	26.24
240	11.745	34.30	26.29	228	10.933	34.29	26.26
250	10.500	34.29	26.32				
255	10.469	34.29	25.34				

STATION NUMBER 159


24	TE 02/1	4/74 LO	NG. 155103	LAT. 34158				LAT. 3419
	START	TIME 000	9 907704	TIME 1023	START	TI 4E 055	7 901104	TIME 7611
	DEPTH	TEMP	SALINITY	SIGMA-T	DEPTH	TEMP	SALINITY	SIGNA-T
	0	14.677	34.15	25.43	0	14.695	34.15	25.42
••	1.7	14.673	34.15	25.43	10	14.694	34.19	25.+2
	20	14.675	34.15	25.43	20	14.699	34.15	25.42
	30	14.677	34.19	25.43	30	14.701	34.19	25.+2
	40	14.575	34.15	25.43	+0	14.703	34.13	25.42
	50	14.651	34.19	25.43	50	14.599	34.19	25.42
	50	14.675	34.19	25.44	60	14.534	34.19	25.44
	73	14.525	34.23	25.45	70	1 4. 50 9	34.19	25.47
	30	14.170	34.13	25.50	90	14.277	34.15	25.49
	90	13.739	34.17	25.56	30	14.140	34.13	25.50
	122	12.939	34.12	25.77	100	13.516	34.11	25.62
	120	11.961	34.19	25.98	120	12.193	34.23	25.37
	140	11.696	34.23	25.37	140	11.955	34.25	26.16
	160	11.505	34.22	25.10	160	11.460	34.21	26.19
	190	11.792	34.23	25.18	190	11.287	34.23	25.14
	200	11.192	34.30	25.22	500	10.997	34.24	25.20
	213	11.161	34.32	26.23	201	10.946	34.24	26.21


STATION NUMBER 160


DATE 02/14/74 LONG. 155:03 LAT. 34:58 START TIME 0725 ROTTOM TIME 0743


DEPTH	TEMP	SALINITY	SIGHA-T
0	14.592	34.15	25.41
10	14.700	34.23	25.44
20	14.703	34.20	25.44
10	1 +. 705	34.20	25.44
40	14.707	54.23	25.44
57	14.590	34.20	25.44
60	14.581	34.19	25.46
70	14.255	34.17	25.51
10	14.134	34.14	25.52
90	13.759	34.15	25.60
100	12.612	34.15	25.55
120	12.150	34.30	25.04
149	11.717	34.24	25.07
157	11.433	34.23	25.12
190	11.225	34.24	25.17
200	11.129	34.27	26.20
205	11.090	34.27	26.21


TIME SEQUENCED TEMPERATURE PROFILES






































Acknowledgments

The crew of the R/P FLIP and Mr. James Witham were instrumental in the acquisition of data. The Scripps Institution of Oceanography provided a Bissett-Berman STD. Mr. Alan Lillich greatly assisted in processing the hydrocasts.

This study was funded by the Office of Naval Research under contract numbers N00014-67-A-0369-0007, N00014-76-C-0067, N00014-75-C-0299 and N00014-67-A-0369-0012. Much of the data reduction and analysis was carried out at the National Center for Atmospheric Research which is sponsored by the National Science Foundation.

REFERENCES

- Barnett, T. P., 1976: Large scale variations of the temperature field in the North Pacific Ocean. Naval Research Reviews, March 1976.
- Elliot, G. W., 1975: Automatic processing system for oceanographic data from U.S. B-Scale ships in GATE. STD Conference and Proceedings, Plessey Environmental Systems, 163-175.
- Fofonoff, N. P. and S. Tabata, 1958: Program for oceanographic computations and data processing on the electronic digital computer ALWAC III-E. DP-1 oceanographic station data program. Fisheries Res. Bd. Canada MS. Rept. Series (Oceanographic and Limnological) No. 25, pp. 1-33.
- Friehe, C. A. and K. Schmidt, 1976: Parameterizations of air-sea interface fluxes of sensible heat and moisture by bulk aerodynamic formulas, J. Phys. Oceanog., Volume 6, Number 6, pp. 801-809.
- Holland, J. Z., 1968: An application of some statistical techniques to study eddy structure, Technical Report No. TID-24585, Division of Technical Information, U.S. Atomic Energy Commission, Washington, D.C., pp. 340-350.
- Mosetti, F., 1967: A new formula for the connection of sea water conductivity with salinity and temperature, Bolletino di Goefisica Teorica ed Applicata, Volume VIII, Number 31, pp. 213-217.
- Paltridge, G. W., 1969: A new long-wave radiometer, Quart. J. Roy. Meteorol. Soc., Volume 95, pp. 635-638.
- Paulson, C. A. and J. J. Simpson, 1977: Irradiance measurements in the upper ocean, J. Phys. Oceanog. (accepted for publication)
- Roden, G. L., 1974: Thermohaline structure, fronts and air-sea energy exchange of the trade winds east of Hawaii, J. Phys. Oceanogr., Volume 4, Number 2, pp. 168-182.
- Simpson, J. J. and C. A. Paulson, 1977a: Mid-ocean observations of atmospheric radiation. (submitted for publication)
- Simpson, J. J. and C. A. Paulson, 1977b: Small scale sea surface temperature sturcture. (submitted for publication)
- Sweers, H. E., 1971: A comparison of methods used to calculated sigma-t, specific volume anomaly and dynamic height, MTS Journal, Volume 5, Number 3, pp. 7-26.
- Wyrtki, K., 1965: The average annual heat balance of the North Pacific Ocean and in relation to ocean circulation. J. Geophys. Res., 70, 4547-4559.